




CERTIFICATE OF ANALYSIS

PRODUCT NAME	CLEARLENs IPA VH01
PRODUCT CODE	7514372
BATCH NUMBER	W026153
PRODUCTION DATE	06/2009
EXPIRY DATE	06/2011

TEST	METHOD	LIMITS	RESULTS
Appearance	VISUAL	Clear Colourless Liquid	CLEAR COLOURLESS LIQUID
Density (20°C)	GM 0110 01	0.865 – 0.885	0.875

QA Manager:  Date: 26/06/2009

QA:  Date: 26-06-09

JD Approval:  Date: 26/06/2009

Date above relates to the date of signing of the document by each responsible person.

This document has been produced on behalf of JohnsonDiversey by authorised personnel and is valid unsigned.

FLE001

Page 1

Flexible Medical Packaging Ltd
Unit 8
White Cross Industrial Estate
Hightown
Lancaster



Isotron Limited

Roydsdale Way · Euroway Trading Estate
Bradford · West Yorkshire
BD4 6SE · United Kingdom
Telephone: +44 (0)1274 686011
Facsimile: +44 (0)1274 686061
Email: assistance@isotron.com
Website: www.isotron.com

LA1 4XS

Cust. Ref: P014198
Date Rec'd 18/06/09
Date: 25/06/09

ITEM CODE ISOTRON BATCH	ITEM SPECIFICATION	QTY	ADDITIONAL DETAILS
B2FLE0010081 B209060538	JD IPA BOTTLES 25-45kGy	656	B/No.W026153 - CUSTOMER B/No.599 P/REF.7514372 - LABELLED UN1219 ACTUAL....38.9 - 40.4....kGy DOSE
B2FLE0010999 B209060538	SAMPLES	2	 CUSTOMERS BATCH/CODE No.s AS ORDER No.P014198 DATED 17/6/09
4 Boxes collected by Sally Watson 25/06/09		Total 658	Last Page 1 of 1

All in accordance with current
technical agreement

This is to certify that the above items have been irradiated as
specified above

Authorising Signature:

For and on behalf of ISOTRON LIMITED



CERTIFICATE OF ANALYSIS

Mr J Jackson

Flexible Medical Packaging Limited
Unit 8, Hightown
White Cross Industrial Estate
Lancaster LA1 4XS

Date Received : 26-Jun-09

Date Tested : 02-Jul-09

Date Completed : 02-Jul-09

Purchase Order No. : PO14217

Test Article : Clearklens IPA Block 2

Sample Code : Works Order No. 26153

Batch Reference : 599

Laboratory Reference : LR-00867669

Article Quantity : 1 Bottle

Test Required : LAL Test - Kinetic QCL. Inhibition/Enhancement Assay. BP, Ph Eur and USP.

Test		Method	Result
Bacterial Endotoxin by LAL, Kinetic QCL Test	*	MM110	<0.2000 EU/mL
Dilution	*	MM110/01	1/40
Spiked Recoveries	*	MM110/02	77 % Valid
Endotoxin Spike Level	*	MM110/09	0.5 EU/mL
Product Standard Data Sheet	*	MQ002/01	FM02

This sample was tested at a 1/40 dilution and spiked with endotoxin to check for interference.
Test carried out according to current Pharmacopoeias.

Mrs S L Wood, BSc., CBiol., MIBiol
Laboratory Manager - Pharmaceutical Microbiology

Date

15 July 2009

GLP

Compliant
Laboratory

K.A.Barker, C.Biol, M.I. Biol.,
Business Manager - Microbiology

Sample Booking Number: CN00137464

Certificate of Analysis - OSMM

Page 1 of 1

Flexible Medical Packaging Limited

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited



CERTIFICATE OF ANALYSIS

Mr J Jackson

Flexible Medical Packaging Limited
Unit 8, Hightown
White Cross Industrial Estate
Lancaster LA1 4XS

Date Received : 26-Jun-09
Date Tested : 30-Jun-09
Date Completed : 14-Jul-09
Purchase Order No. : PO14217

Test Article : Clearlens IPA Block 2

Sample Code : Works Order No. 26153

Batch Reference : 599

Laboratory Reference : LR-00867668

Article Quantity : 20 Bottles

Test Required : Sterility Method I: Membrane Filtration by Steritest. BP, Ph Eur and USP.

Test		Method	Result
Sterility Test by Membrane Filtration (Steritest) Method	*	MM107	Pass
Growth in Tryptone Soya Broth at 22°C after 14 days	*	MM107/01	0/1
Growth in Fluid Thioglycollate at 32°C after 14 days	*	MM107/02	0/1
Product Standard Data Sheet	*	MQ002/01	FM03


Day Book Ref: 574015

Volume Tested: 20 x 50mL

Test carried out according to current Pharmacopoeias.


Mrs S L Wood BSc, CBiol, MIBiol
Laboratory Manager Pharmaceutical Microbiology

Date 16 July 2009



K.A.Barker, C.Biol, M.I. Biol.,
Business Manager - Microbiology

Sample Booking Number: CN00137464

Certificate of Analysis - OSMM

Page 1 of 1

Flexible Medical Packaging Limited

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited