



Contact address:

JohnsonDiversey Europe BV
Maarssebroeksedijk 2
3542 DN Utrecht
The Netherlands
Tel. +31 (0)30 247 6427

CERTIFICATE OF ANALYSIS

Date: 04/10

Product Name	CLEARLENSE DE VH29
Product Code	7515783
Batch Number	W027911
Production Date	04/2010
Expiry Date	04/2012

This is to certify that the above batch of product has been produced conforming to the manufacturing dossier from JohnsonDiversey in which the formula and processing instructions are defined and has been tested with the following Quality Control specification for the product.

Test	Test Method	Limits	Results
Appearance	Visual	Clear Liquid	clear liquid
Specific Gravity (20°C)	JDM004	0.880 - 0.888	0.882

JOHN JACKSON 12/04/10

c foscoe caroline foscoe 12/4/10

Signature / name
On behalf of Manufacturing Location



CERTIFICATE OF IRRADIATION Number: **B** 0442873 00

FLE001

Page 1

Flexible Medical Packaging Ltd
 Unit 8
 White Cross Industrial Estate
 Hightown
 Lancaster



Isotron Limited

Roydsdale Way · Euroway Trading Estate
 Bradford · West Yorkshire
 BD4 6SE · United Kingdom
 Telephone: +44 (0)1274 686011
 Facsimile: +44 (0)1274 686061
 Email: assistance@isotron.com
 Website: www.isotron.com

LA1 4XS

Cust. Ref: P015270
 Date Rec'd 1/04/10
 Date: 7/04/10

ITEM CODE ISOTRON BATCH	ITEM SPECIFICATION	QTY	ADDITIONAL DETAILS
B2FLE0010081 B210040065	JD IPA BOTTLES 25-45kGy DE	95	B/No.W027911 - P/REF.75157B3 ACTUAL DOSE....38.5 - 39.1....kGy
B2FLE0010999 B210040065	SAMPLES	5	CUSTOMERS BATCH/CODE No.s AS ORDER No.P015270 DATED 31/3/10
Despatch Text: 2PLTS			
Total		100	Last Page 1 of 1

All in accordance with current technical agreement

This is to certify that the above items have been irradiated as specified above

Authorising Signature: *J. Goffey*

For and on behalf of ISOTRON LIMITED



CERTIFICATE OF ANALYSIS

Mr J Jackson
Flexible Medical Packaging Limited
Unit 8, Hightown
White Cross Industrial Estate
Lancaster LA1 4XS

Date Received : 13-Apr-10
Date Tested : 19-Apr-10
Date Completed : 19-Apr-10
Purchase Order No. : 15305


Test Article : Clearklens DE Block 2
Sample Code : Works Order 27911
Batch Reference : 1599
Laboratory Reference : LR-00950243 **Article Quantity** : 1x900mL
Test Required : LAL Test - Kinetic QCL. Inhibition/Enhancement Assay. Ph Eur and USP.

Test		Method	Result
Bacterial Endotoxin by LAL, Kinetic QCL Test	*	MM110	<0.2500 EU/mL
Dilution	*	MM110/01	1/50
Spiked Recoveries	*	MM110/02	Valid 88%
Endotoxin Spike Level	*	MM110/09	0.5 EU/mL
Product Standard Data Sheet	*	MQ002/01	FM01

Test carried out according to current Pharmacopoeias.

Date 23 April 2010

Mrs S.L. Wood, BSc (Hons), CBiol, MSB
Laboratory Manager - Pharmaceutical Microbiology



Sample Booking Number: CN\00149097
Flexible Medical Packaging Limited

Certificate of Analysis - OSMM

Page 1 of 1

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited



CERTIFICATE OF ANALYSIS

Mr J Jackson
Flexible Medical Packaging Limited
Unit 8, Hightown
White Cross Industrial Estate
Lancaster LA1 4XS

Date Received : 13-Apr-10
Date Tested : 15-Apr-10
Date Completed : 29-Apr-10
Purchase Order No. : 15305

Test Article : Clearklens DE Block 2
Sample Code : Works Order 27911
Batch Reference : 1599
Laboratory Reference : LR-00950242 **Article Quantity** : 20x900mL
Test Required : Sterility Method I: Membrane Filtration by Steritest. Ph Eur and USP.

Test	Method	Result
Sterility Test by Membrane Filtration (Steritest) Method	* MM107	Pass
Growth in Tryptone Soya Broth at 22°C after 14 days	* MM107/01	0/1
Growth in Fluid Thioglycollate at 32°C after 14 days	* MM107/02	0/1
Product Standard Data Sheet	* MQ002/01	FM03

Day Book Ref: 800026
Volume Tested: 20 x 50mL
Test carried out according to current Pharmacopoeias.



Suz Wood

Date *05 May 2010*

Mrs S.L. Wood, BSc (Hons), CBiol, MSB
Laboratory Manager - Pharmaceutical Microbiology

Sample Booking Number: CN\00149097
Flexible Medical Packaging Limited

Certificate of Analysis - OSMM

Page 1 of 1

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited