



Contact address:

JohnsonDiversey Europe BV
Maarssebroeksedijk 2
3542 DN Utrecht
The Netherlands
Tel. +31 (0)30 247 6427

CERTIFICATE OF ANALYSIS

Date: 24/9/10

Product Name	CLEARKLENS DE VH29
Product Code	6069643
Batch Number	W028636
Production Date	09/2010
Expiry Date	09/2012

This is to certify that the above batch of product has been produced conforming to the manufacturing dossier from JohnsonDiversey in which the formula and processing instructions are defined and has been tested with the following Quality Control specification for the product.

Test	Test Method	Limits	Results
Appearance	Visual	Clear Liquid	Clear liquid
Specific Gravity (20°C)	JDM004	0.880 - 0.888	0.882

Signature / name *C. Pasca*
On behalf of Manufacturing Location



CERTIFICATE OF IRRADIATIONNumber: **B**

0461727 00

FLE001

Page 1

Flexible Medical Packaging Ltd
Unit 8
White Cross Industrial Estate
Hightown
Lancaster

**Isotron Limited**

Roydsdale Way · Euroway Trading Estate
Bradford · West Yorkshire
BD4 6SE · United Kingdom
Telephone: +44 (0)1274 686011
Facsimile: +44 (0)1274 686061
Email: assistance@isotron.com
Website: www.isotron.com

LA1 4XS

Cust. Ref: P015885
Date Rec'd 16/09/10
Date: 21/09/10

ITEM CODE ISOTRON BATCH	ITEM SPECIFICATION	QTY	ADDITIONAL DETAILS
B2FLE0010121 B210090499	JD DE 900ML BOTTLES 25-45kGy	338	124 x W028636 214 x W028637 B/No.1984 ACTUAL DOSE.....37.2 - 38.9....kGy
B2FLE0010999 B210090499	SAMPLES	10	CUSTOMERS BATCH/CODE NO'S AS ORDER NO P015885 DATED 15.09.2010
Total		348	Last Page 1 of 1

All in accordance with current
technical agreement

This is to certify that the above items have been irradiated as
specified above

Authorising Signature:

A handwritten signature in blue ink, consisting of a large, stylized 'Q' or 'G' shape followed by a horizontal line.

For and on behalf of ISOTRON LIMITED



Wickham Laboratories

contract analytical services

Wickham Laboratories Limited,
Winchester Road, Wickham, Fareham,
Hampshire PO17 5EU England
Telephone: +44(0)1329 832511
Fax: +44(0)1329 834262

mail@wickhamlabs.co.uk
www.wickhamlabs.co.uk

~~6 DEC 2010~~

CERTIFICATE OF ANALYSIS

Mr J Jackson

Flexible Medical Packaging Limited
Unit 8, Hightown
White Cross Industrial Estate
Lancaster LA1 4XS

Date Received : 27-Sep-10
Date Tested : 06-Oct-10
Date Completed : 20-Oct-10
Purchase Order No. : 15942

Test Article : ClearKlens DE Block 1

Sample Code :

Batch Reference : WO28636

Laboratory Reference : LR-00985384

Article Quantity : 20x900mLs+Spare

Test Required : Sterility Method I: Membrane Filtration by Steritest. Ph Eur and USP.

Test		Method	Result
Sterility Test by Membrane Filtration (Steritest) Method	*	MM107	Pass
Growth in Tryptone Soya Broth at 22°C after 14 days	*	MM107/01	0/1
Growth in Fluid Thioglycollate at 32°C after 14 days	*	MM107/02	0/1
Product Standard Data Sheet	*	MQ002/01	FM03

Day Book Ref: 000023

Volume Tested: 20 x 50mL

Test carried out according to current Pharmacopoeias.

GLP

Compliant
Laboratory

Mr K. A Barker, CBiol., MSB
Business Manager

WAB

Date 26 Oct 2010

Mrs S.L. Wood, BSc (Hons), CBiol, MSB
Laboratory Manager - Pharmaceutical Microbiology

Sample Booking Number: CN\00154710

Certificate of Analysis - OSMM

Page 1 of 1

Flexible Medical Packaging Limited

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited



CERTIFICATE OF ANALYSIS

Mr J Jackson

Flexible Medical Packaging Limited
Unit 8, Hightown
White Cross Industrial Estate
Lancaster LA1 4XS

Date Received : 27-Sep-10

Date Tested : 28-Sep-10

Date Completed : 28-Sep-10

Purchase Order No. : 15942

Test Article : ClearKlens DE Block 1

Sample Code :

Batch Reference : W028636

Laboratory Reference : LR-00985385

Article Quantity : 1x900mLs

Test Required : LAL Test - Kinetic QCL. Inhibition/Enhancement Assay. Ph Eur and USP.

Test		Method	Result
Bacterial Endotoxin by LAL, Kinetic QCL Test	*	MM110	<0.2500 EU/mL
Dilution	*	MM110/01	1/50
Spiked Recoveries	*	MM110/02	Valid 113%
Endotoxin Spike Level	*	MM110/09	0.5 EU/mL
Product Standard Data Sheet	*	MQ002/01	FM01

Test carried out according to current Pharmacopoeias.

GLP

Compliant
Laboratory

Sun 30 Sep

Date *01 Oct 2010*

Mrs S.L. Wood, BSc (Hons), CBiol, MSB

Laboratory Manager - Pharmaceutical Microbiology

Sample Booking Number: CN00154710

Certificate of Analysis - OSMM

Page 1 of 1

Flexible Medical Packaging Limited

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited