



Contact

JohnsonDiversey Europe BV
Maarssebroeksedijk 2
3542 DN Utrecht
The Netherlands
Tel. +31 (0)30 247 6427

CERTIFICATE OF ANALYSIS

Date: 19/11/10

Product Name	CLEARKLENS IPA VH1
Product Code	7513400
Batch Number	W0 28647
Production Date	11/2010
Expiry Date	11/2012

This is to certify that the above batch of product has been tested internally and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits	Results
Appearance	Visual	Clear Colourless Liquid	Clear Colourless Liquid
Specific Gravity (20°C)	JDM004	0.872 - 0.883	0.873

"SIGNATURE" C Pascoe

Name Caroline Pascoe
Function Name Pharmacy Supervisor

Please note JohnsonDiversey did change the company name to Diversey and is in the phase of implementation

CERTIFICATE OF IRRADIATIONNumber: **B**

0467349 00

FLE001

Page 1

Flexible Medical Packaging Ltd
Unit 8
White Cross Industrial Estate
Hightown
Lancaster

**Isotron Limited**

Roydsdale Way · Euroway Trading Estate
Bradford · West Yorkshire
BD4 6SE · United Kingdom
Telephone: +44 (0)1274 686011
Facsimile: +44 (0)1274 686061
Email: assistance@isotron.com
Website: www.isotron.com

LA1 4XS

Cust. Ref: P016106
Date Rec'd 3/11/10
Date: 12/11/10

ITEM CODE ISOTRON BATCH	ITEM SPECIFICATION	QTY	ADDITIONAL DETAILS
B2FLE0010081 B210110203	JD IPA BOTTLES 25-45kGy	588	177 X B/No.W028644 411 X B/No.W028647 ACTUAL DOSE....36.1 - 39.5....kGy
B2FLE0010999 B210110203	SAMPLES	5	 CUSTOMERS BATCH/CODE No.s AS ORDER No.P016106 DATED 2/11/10
Despatch Text: 12PLTS			
Total		593	Last Page 1 of 1
All in accordance with current technical agreement			
This is to certify that the above items have been irradiated as specified above			
Authorising Signature: <i>J. Coffey</i>			
For and on behalf of ISOTRON LIMITED			



Wickham Laboratories
contract analytical services

Wickham Laboratories Limited,
Winchester Road, Wickham, Fareham,
Hampshire PO17 5EU England
Telephone: +44(0)1329 832511
Fax: +44(0)1329 834262

mail@wickhamlabs.co.uk
www.wickhamlabs.co.uk

CERTIFICATE OF ANALYSIS

Mr J Jackson
Flexible Medical Packaging Limited
Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

Date Received: 22 Nov 10
Date Tested: 24 Nov 10
Date Completed: 24 Nov 10
Purchase Order: 16201

Test Article: ClearKlens IPA Block 1
Sample Code: Work Order No. 28647
Batch Ref: 2116
Qty Received: 1 x 900mLs
Laboratory Reference: 0000721/2
Test Required: Bacterial Endotoxin Testing by Kinetic QCL: Ph Eur and USP

Test	Method Item	Result
Bacterial Endotoxin by Kinetic QCL Test	MM110/00	<0.2000 EU/mL
Spiked Recovery	MM110/01	115%
Endotoxin Spike Level	MM110/02	0.5 EU/mL
Dilution Tested	MM110/04	1/40
Product Standard Data Sheet	MM110/05	FM02

External Comments

Test carried out according to current Pharmacopoeias.

Approval is provided by Electronic Signature. Their name is shown below.

Date: 30 Nov 10 12:05:43

Mrs S.L. Wood, BSc (Hons), CBiol, MSB
Laboratory Manager - Pharmaceutical Microbiology

Consignment: 0000721
Lancaster

Certificate of Analysis - OSMM

Print Number

P0001932

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited

CERTIFICATE OF ANALYSIS

Mr J Jackson
Flexible Medical Packaging Limited
Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

Date Received: 22 Nov 10
Date Tested: 25 Nov 10
Date Completed: 09 Dec 10
Purchase Order: -

Test Article: ClearKlens IPA Block 1
Sample Code: Work Order No. 28647
Batch Ref: 2116
Qty Received: 20 x 900mLs
Laboratory Reference: 0000721/1
Test Required: Sterility Test by Membrane Filtration (Steritest) Method I: Ph Eur and USP

Test	Method Item	Result
Sterility Test by Membrane Filtration (Steritest) Method	MM107/00	Pass
Growth in Tryptone Soya Broth at 20-25°C after 14 days	MM107/01	No growth in one broth
Growth in Fluid Thioglycollate Medium at 30-35°C after 14 days	MM107/02	No growth in one broth
Product Standard Data Sheet	MM107/03	FM03
Day Book Reference	MM107/04	000058
Volume Tested	MM107/05	20 x 50 mL

External Comments

Test carried out according to current Pharmacopoeias.

Approval is provided by Electronic Signature. Their name is shown below.



Date: 14 Dec 10 15:33:45

Mrs S.L. Wood, BSc (Hons), CBiol, MSB
Laboratory Manager - Pharmaceutical Microbiology

Consignment: 0000721
Lancaster

Certificate of Analysis - OSMM

Print Number

P0002098

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited