



Contact

JohnsonDiversey Europe BV
Maarssebroeksedijk 2
3542 DN Utrecht
The Netherlands
Tel. +31 (0)30 247 6427

CERTIFICATE OF ANALYSIS

Date: 4.01.11

Product Name	CLEARLENSE IPA VH1
Product Code	7513400
Batch Number	NO 29360
Production Date	12/2010
Expiry Date	12/2012

This is to certify that the above batch of product has been tested internally and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits	Results
Appearance	Visual	Clear Colourless Liquid	Clear Colourless Liquid
Specific Gravity (20°C)	JDM004	0.872 - 0.883	0.883

"SIGNATURE" *C. Pascoe*

Name *Caroline Pascoe*
Function Name *Pharmaceutical Supervisor*

Please note JohnsonDiversey did change the company name to Diversey and is in the phase of implementation

CERTIFICATE OF IRRADIATION

Number: **B**

0473149 00

FLE001

Page 1

Flexible Medical Packaging Ltd
Unit 8
White Cross Industrial Estate
Hightown
Lancaster



Isotron Limited

Roydsdale Way · Euroway Trading Estate
Bradford · West Yorkshire
BD4 6SE · United Kingdom
Telephone: +44 (0)1274 686011
Facsimile: +44 (0)1274 686061
Email: assistance@isotron.com
Website: www.isotron.com

LA1 4XS

Cust. Ref: P016358
Date Rec'd 22/12/10
Date: 31/12/10

ITEM CODE ISOTRON BATCH	ITEM SPECIFICATION	QTY	ADDITIONAL DETAILS
B2FLE0010081 B210120658	JD IPA BOTTLES 25-45kGy	354	B/No.W029360 ACTUAL DOSE....37.2 - 39.4....kGy
B2FLE0010999 B210120658	SAMPLES	5	 CUSTOMERS BATCH/CODE No.s AS ORDER No.P016358 DATED 22/12/10
Despatch Text: 7PLTS			
Total		359	Last Page 1 of 1

All in accordance with current
technical agreement

This is to certify that the above items have been irradiated as
specified above

Authorising Signature:

J. Coffey

For and on behalf of ISOTRON LIMITED



CERTIFICATE OF ANALYSIS

Mr J Jackson
Flexible Medical Packaging Limited
Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

Date Received: 10 Jan 11
Date Tested: 11 Jan 11
Date Completed: 11 Jan 11
Purchase Order: 16372

Test Article: ClearKlens IPA VH1
Sample Code: -
Batch Ref: WO29360
Qty Received: 1x900mL Bottle
Laboratory Reference: 0000919/2
Test Required: Bacterial Endotoxin Testing by Kinetic QCL: Ph Eur and USP

Test	Method Item	Result
Bacterial Endotoxin by Kinetic QCL Test	MM110/00	<0.2 EU/mL
Spiked Recovery	MM110/01	91 %
Endotoxin Spike Level	MM110/02	0.5 EU/mL
Dilution Tested	MM110/04	1/40
Product Standard Data Sheet	MM110/05	FM02

External Comments

Test carried out according to current Pharmacopoeias.

Approval is provided by Electronic Signature. Their name is shown below.

Date: 13 Jan 11 12:05:33

Mrs S.L. Wood, BSc (Hons), CBiol, MSB
Laboratory Manager - Pharmaceutical Microbiology

Consignment: 0000919
Lancaster

Certificate of Analysis - OSMM

Print Number

P0002420

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited



Wickham Laboratories
contract analytical services

Wickham Laboratories Limited,
Winchester Road, Wickham, Fareham,
Hampshire PO17 5EU England
Telephone: +44(0)1329 832511
Fax: +44(0)1329 834262

mail@wickhamlabs.co.uk
www.wickhamlabs.co.uk

CERTIFICATE OF ANALYSIS

Mr J Jackson
Flexible Medical Packaging Limited
Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

Date Received: 10 Jan 11
Date Tested: 13 Jan 11
Date Completed: 27 Jan 11
Purchase Order: 16372

Test Article: ClearKlens IPA Block 1
Sample Code: -
Batch Ref: WO29360
Qty Received: 20x900mL Bottle
Laboratory Reference: 0000919/1
Test Required: Sterility Test by Membrane Filtration (Steritest) Method I: Ph Eur and USP

Test	Method Item	Result
Sterility Test by Membrane Filtration (Steritest) Method	MM107/00	Pass
Growth in Tryptone Soya Broth at 20-25°C after 14 days	MM107/01	No growth in one broth
Growth in Fluid Thioglycollate Medium at 30-35°C after 14 days	MM107/02	No growth in one broth
Product Standard Data Sheet	MM107/03	FM03
Day Book Reference	MM107/04	000086
Volume Tested	MM107/05	20 x 50 mL

External Comments

Test carried out according to current Pharmacopoeias.

Approval is provided by Electronic Signature. Their name is shown below.

Date: 28 Jan 11 13:35:50

Mrs S.L. Wood, BSc (Hons), CBiol, MSB
Laboratory Manager - Pharmaceutical Microbiology

Consignment: 0000919
Lancaster

Certificate of Analysis - OSMM

Print Number

P0002511

This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited