



Diversey Europe Operations BV
Maarssenbroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date: 10 January 2023

Product Name	CLEARKLENS TEGO 2000SC VH25		
Product Code	101103467		
Batch Number	FMP22328	55634	
Production Date	24/11/2022		
Expiration Date	EXP 24/11/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
Specific Gravity (20°C)	DM004	0.993	1.003	1.000
pH (neat solution)	DM001	7.5	8.5	7.9

On behalf of Diversey site Quality Manger	Name:	Urszula Haraburda Edyta Rodrigues
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA Template	Version : 02	Date of issuing : November 24th 2017
--------------	--------------	--------------------------------------

STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-33823A

<u>Product Code</u>	<u>Lot Number</u>	<u>Quantity</u>	<u>UOM</u>
TEGO 2000SC DV4724	FMP22328 - 55634	94	Case
Validation Reference Number: 4724			
TEGO 2000SC DV4724	FMP22328 - 55634, SAMPLE BOX	1	Case
Validation Reference Number: 4724			

Processing Run Start Date: 29-Dec-2022 8:27 PM

Processing Run End Date: 30-Dec-2022 3:49 AM

Specified Dose Range (kGy):	25.0 - 45.0	Calculated Min Dose (kGy):	29.1
Reference Dose Range (kGy):	29.4 - 40.5	Calculated Max Dose (kGy):	38.8

PO Number: 404209

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

Gamma Process Run Approval authorized by STERIS

Date/Time E-Signed: 30-Dec-2022 4:49 AM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

Processing Location

Synergy Health Sterilisation UK
Limited, a STERIS Company
Brunel Close
Drayton Fields Industrial Estate
Daventry
Northants
NN11 8RB
Phone: + 44(0) 1327 706 111

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs.Olga Kirchner

Report of Tests on: Tego 2000SC

Sample Description: Sample Code: Fmp22328 55634

Lucideon Sample Number: UK23110-812

Lucideon Report Number: UK23110-812/MFEP

Issue Number: 1

Date Logged: 11-Jan-2023

Order Number: 404270

Date Reported: 27-Jan-2023

Date(s) of Test(s): 12-Jan-2023 to 26-Jan-2023

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Natalie Boot 27 JAN 23

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com