



Diversey Europe Operations BV
Maarssenbroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date: 22 June 2023

Product Name	CLEARKLENS CLEANSINALD SC VH9		
Product Code	101103552		
Batch Number	FMP23173	57586	
Production Date	22/06/2023		
Expiration Date	EXP 22/06/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
pH (neat solution)	DM001	12.0	13.0	12.7
Specific Gravity (20°C)	DM004	1.040	1.060	1.052
Cationic Content	DM020	14.25	15.75	15.49

On behalf of Diversey site Quality Manger	Name:	Sabcho Svetoslavov Ewelina Nowaczyk
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-37922A

<u>Product Code</u>	<u>Lot Number</u>	<u>Quantity</u>	<u>UOM</u>
C/SINALD BOTTLES/CAPS/BAGS DV4894	57597	31	Case

Validation Reference Number: 4894

Processing Run Start Date: 10-Jun-2023 4:45 PM

Processing Run End Date: 10-Jun-2023 10:56 PM

Specified Dose Range (kGy):	25.0 - 40.0	Calculated Min Dose (kGy):	28.8
Reference Dose Range (kGy):	27.4 - 36.5	Calculated Max Dose (kGy):	35.0

PO Number: 405451

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

Gamma Process Run Approval authorized by STERIS

Date/Time E-Signed: 11-Jun-2023 7:27 AM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

Processing Location

Synergy Health Sterilisation UK
Limited, a STERIS Company
Brunel Close
Drayton Fields Industrial Estate
Daventry
Northants
NN11 8RB
Phone: + 44(0) 1327 706 111

Items irradiated under WO57597 will be used in finished batch Fmp23173 57586.

Olga Kirchner

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: Cleansinald SC

Sample Description: Sample Code: Fmp23173 57586

Lucideon Sample Number: UK232387-16449

Lucideon Report Number: UK232387-16449/MFEP **Issue Number:** 1

Date Logged: 28-Jun-2023 **Order Number:** 405644

Date Reported: 25-Jul-2023 **Date(s) of Test(s):** 06-Jul-2023 to 24-Jul-2023

Sterility Testing

Membrane Filtration EP

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Tracy Wheeler

Signer Name: Tracy Wheeler

Signing Reason: I have reviewed this document

Signing Time: 25 July 2023 | 11:47 BST

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: BA5084C8770A41CCB85186A2BFF8AB81

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 1

Initials: 0

Tracy Wheeler

AutoNav: Enabled

Queens Road

EnvelopeId Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Tracy.Wheeler@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Tracy Wheeler

Location: DocuSign

25-Jul-23 | 11:44

Tracy.Wheeler@uk.lucideon.com

Signer Events**Signature****Timestamp**

Tracy Wheeler

tracy.wheeler@uk.lucideon.com

PlaceHolder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in*Tracy Wheeler*

Sent: 25-Jul-23 | 11:46

Viewed: 25-Jul-23 | 11:47

Signed: 25-Jul-23 | 11:47

Signature Adoption: Pre-selected Style

Signature ID:

D85AB024-6E18-4F31-821E-2EC1AFA6CA90

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

25-Jul-23 | 11:46

Certified Delivered

Security Checked

25-Jul-23 | 11:47

Signing Complete

Security Checked

25-Jul-23 | 11:47

Completed

Security Checked

25-Jul-23 | 11:47

Payment Events**Status****Timestamps**