

## CERTIFICATE OF ANALYSIS

Date issue: 12 May 2023

<b>Product Name</b>	CLEARLENs IPA VH1		
<b>Product Code</b>	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
<b>Batch Number</b>	FMP23107	57016	
<b>Production Date</b>	17/04/2023		
<b>Expiration Date</b>	EXP 17/04/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	57016
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK231749-11990
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK231749-11991

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	12/05/2023
		Angelika Partynska	12/05/2023
		Quality Control Inspector	
		Olga Kirchner	06/06/2023

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

\*\*\*End of certificate of analysis\*\*\*

R55480102

05/02/2023 7:50:40 GMT  
Page 1 of 1

<b>Customer Name:</b>	<b>FLEXIBLE MED. GBP UK LANCASTER</b>	<b>Processing Facility:</b>	<b>Markham Vale</b>	<b>Work Order #</b>	<b>3330819</b>
<b>P.O.#</b>	<b>405095</b>			<b>Sales Order #</b>	<b>3292749</b>
<b>25 - 45 kGy</b>		<b>Gamma Irradiation</b>	<b>Irradiation Date/Time:</b>	<b>04/29/2023 16:15:23 GMT</b>	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	169	BX	101101081	Diversey Clearklens DE 900ml	FMP23103	57015/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101101081_SAMPLE	Diversey Clearklens DE 900ml	FMP23103	57015/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	778	BX	101105062	Diversey Clearklens IPA 900ml	FMP23107	57016/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	<b>950</b>	<b>BX</b>	<b>Total</b>			

**Quality Test Summary**

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	28.3 KGY	Pass	SWARD	04/30/2023 03:26:20 GMT
		Reason Code Test				SIMON WARD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.3 KGY	Pass	SWARD	04/30/2023 03:26:40 GMT
		Reason Code Test				SIMON WARD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA  
Reason: Work Order Completions

Date: 05/02/2023 07:49:09 GMT

R55480102

 05/02/2023 7:50:33 GMT  
 Page 1 of 1

<b>Customer Name:</b>	FLEXIBLE MED. GBP UK LANCASTER	<b>Processing Facility:</b>	Markham Vale	<b>Work Order #</b>	3331894
<b>P.O.#</b>	405096			<b>Sales Order #</b>	3293898
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	04/29/2023 11:38:29 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	643	BX	101105062	Diversey Clearklens IPA 900ml	FMP23107	57016/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	4	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23107	57016/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	303	BX	101105062	Diversey Clearklens IPA 900ml	FMP23110	57017/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	950	BX	Total			

### Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.9 KGY	Pass	SWARD	04/30/2023 03:21:40 GMT
		Reason Code Test				SIMON WARD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.8 KGY	Pass	SWARD	04/30/2023 03:22:04 GMT
		Reason Code Test				SIMON WARD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA  
 Reason: Work Order Completions

Date: 05/02/2023 07:49:36 GMT

# PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs.Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp23107 57016

**Lucideon Sample Number:** UK231749-11991

**Lucideon Report Number:** UK231749-11991/ETEP **Issue Number:** 1

**Date Logged:** 15-May-2023 **Order Number:** 405259

**Date Reported:** 24-May-2023 **Date(s) of Test(s):** 23-May-2023 to 23-May-2023

### Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

## Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000) EU/ml

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 24 May 2023 | 16:51 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ

T +44 (0)1782 764428  
enquiries@lucideon.com  
www.lucideon.com

**Certificate Of Completion**

Envelope Id: 1B88C6053DEB4BA88E38657F221F15ED

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 195.11.216.44

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

24-May-23 | 16:48

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication*Natalie Boot*

Sent: 24-May-23 | 16:49

Viewed: 24-May-23 | 16:50

Signed: 24-May-23 | 16:51

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 195.11.216.44

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

24-May-23 | 16:49

Certified Delivered

Security Checked

24-May-23 | 16:50

Signing Complete

Security Checked

24-May-23 | 16:51

Completed

Security Checked

24-May-23 | 16:51

**Payment Events****Status****Timestamps**

# PHARMACEUTICAL ANALYSIS REPORT



## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs.Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp23107 57016

**Lucideon Sample Number:** UK231749-11990

**Lucideon Report Number:** UK231749-11990/MFEP **Issue Number:** 1

**Date Logged:** 15-May-2023 **Order Number:** 405259

**Date Reported:** 05-Jun-2023 **Date(s) of Test(s):** 20-May-2023 to 03-Jun-2023

**Sterility Testing**  
**Membrane Filtration EP**

### Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*

Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 05 June 2023 | 15:09 BST  
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ

T +44 (0)1782 764428  
enquiries@lucideon.com  
www.lucideon.com

**Certificate Of Completion**

Envelope Id: F929597C38014A479F3F1CF2EF31B34C

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 195.11.216.44

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

05-Jun-23 | 15:06

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in*Natalie Boot*

Sent: 05-Jun-23 | 15:08

Viewed: 05-Jun-23 | 15:09

Signed: 05-Jun-23 | 15:10

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 195.11.216.44

With Signing Authentication via DocuSign password.

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

05-Jun-23 | 15:08

Certified Delivered

Security Checked

05-Jun-23 | 15:09

Signing Complete

Security Checked

05-Jun-23 | 15:10

Completed

Security Checked

05-Jun-23 | 15:10

**Payment Events****Status****Timestamps**