

## CERTIFICATE OF ANALYSIS

Date issue: 27 February 2024


<b>Product Name</b>	CLEARLENs IPA VH1 S 6x0.9L		
<b>Product Code</b>	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
<b>Batch Number</b>	FMP24010	59409	
<b>Production Date</b>	10/01/2024		
<b>Expiration Date</b>	EXP 10/01/2026		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	59409
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK24448 - 3245
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK24448 - 3244

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Angelika Pietraszko	06/02/2024
		Justyna Staron	06/02/2024
		Quality Control Inspector	
		Olga Kirchner	27/02/2024

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

\*\*\*End of certificate of analysis\*\*\*

R55480102

 01/22/2024 10:23:38 GMT  
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3483850
P.O.#	407270			Sales Order #	3472447
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:	01/19/2024 21:14:31 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP24010	59409/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

### Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.5 KGY	Pass	IWEATHERAL	01/20/2024 15:11:12 GMT
		Reason Code Test				IAN WEATHERALL	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.2 KGY	Pass	CCICALA	01/22/2024 09:14:50 GMT
		Reason Code Test				CLAIRE CICALA	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA  
 Reason: Work Order Completions

Date: 01/22/2024 10:23:21 GMT

R55480102

 01/29/2024 14:10:12 GMT  
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3489157
P.O.#	407358			Sales Order #	3478327
	25 - 45 kGy	Gamma Irradiation		Irradiation Date/Time:	01/27/2024 05:33:50 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1021	BX	101105062	Diversey Clearklens IPA 900ml	FMP24010	59409/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	4	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP24010	59409/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
	1025	BX	Total			

### Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.6 KGY	Pass	PSAXTON	01/27/2024 18:16:44 GMT
		Reason Code Test				PAUL SAXTON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.9 KGY	Pass	PSAXTON	01/27/2024 18:17:02 GMT
		Reason Code Test				PAUL SAXTON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: RHIANNON GATES  
 Reason: Work Order Completions

Date: 01/29/2024 13:18:24 GMT

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp24010 59409

**Lucideon Sample Number:** UK24448-3244

**Lucideon Report Number:** UK24448-3244/ETEP **Issue Number:** 1

**Date Logged:** 06-Feb-2024 **Order Number:** 407436

**Date Reported:** 15-Feb-2024 **Date(s) of Test(s):** 14-Feb-2024 to 14-Feb-2024

### Endotoxin Test (EP)

#### 2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

## Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 15 February 2024 | 14:52 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire, ST4 7LQ, UK

T +44 (0)1785 331874  
query@lucideon.com  
www.lucideon.com  
Reg. England 1960455

**Certificate Of Completion**

Envelope Id: 59D5F4FEC90D498691867B57BB7A6BD5

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

15-Feb-24 | 14:51

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in*Natalie Boot*

Sent: 15-Feb-24 | 14:51

Viewed: 15-Feb-24 | 14:52

Signed: 15-Feb-24 | 14:52

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

15-Feb-24 | 14:51

Certified Delivered

Security Checked

15-Feb-24 | 14:52

Signing Complete

Security Checked

15-Feb-24 | 14:52

Completed

Security Checked

15-Feb-24 | 14:52

**Payment Events****Status****Timestamps**

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp24010 59409

**Lucideon Sample Number:** UK24448-3245

**Lucideon Report Number:** UK24448-3245/MFEP **Issue Number:** 1

**Date Logged:** 06-Feb-2024 **Order Number:** 407436

**Date Reported:** 26-Feb-2024 **Date(s) of Test(s):** 08-Feb-2024 to 22-Feb-2024

**Sterility Testing**  
**Membrane Filtration EP**


## Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:  
*Natalie Boot*  
 Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 26 February 2024 | 11:04 GMT  
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire, ST4 7LQ, UK  
T +44 (0)1785 331874  
query@lucideon.com  
www.lucideon.com  
Reg. England 1960455

**Certificate Of Completion**

Envelope Id: C425A88C2DB545D4AB3D55402810A368

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

26-Feb-24 | 11:02

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in*Natalie Boot*

Sent: 26-Feb-24 | 11:03

Viewed: 26-Feb-24 | 11:04

Signed: 26-Feb-24 | 11:04

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

26-Feb-24 | 11:03

Certified Delivered

Security Checked

26-Feb-24 | 11:04

Signing Complete

Security Checked

26-Feb-24 | 11:04

Completed

Security Checked

26-Feb-24 | 11:04

**Payment Events****Status****Timestamps**