

CERTIFICATE OF ANALYSIS

Date issue: 17 June 2026

Product Name	CLEARLENs IPA VH1 S 6x0.9L		
Product Code	☐ 101105062	☒ 101105063	☐ 101105064
Batch Number	FMP26127	63948	
Production Date	07/05/2026		
Expiration Date	EXP 07/05/2028		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	63948
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N262541-3/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N262541-4/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Edyta Rodrigues	17/06/2026
		Justyna Staron	17/06/2026
		Quality Control Inspector	
		Olga Kirchner	03/07/2026

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

06/08/2026 8:24:33 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3978387
P.O.#	413024			Sales Order #	4076319
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	06/04/2026 20:41:31 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	975	BX	101105063	Clearklens IPA 900 mls	FMP26127	63948/STR002201
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	975	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.8 KGY	Pass	SWARD	06/05/2026 07:43:17 GMT
		Reason Code Test				SIMON WARD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.7 KGY	Pass	SWARD	06/05/2026 07:43:35 GMT
		Reason Code Test				SIMON WARD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE
Reason: Work Order Completions

Date: 06/08/2026 08:22:32 GMT

R55480102

 06/08/2026 8:24:39 GMT
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3981100
P.O.#	413081			Sales Order #	4079855
	25 - 45 kGy	Gamma Irradiation		Irradiation Date/Time:	06/04/2026 16:24:48 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	450	BX	101105063	Clearklens IPA 900 mls	FMP26127	63948/STR002201
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105063_SAMPLE	Clearklens IPA 900 mls	FMP26127	63948/STR002201
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	497	BX	101105063	Clearklens IPA 900 mls	FMP26138	64111/STR002201
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	950	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.8 KGY	Pass	SWARD	06/05/2026 07:47:04 GMT
		Reason Code Test				SIMON WARD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.9 KGY	Pass	SWARD	06/05/2026 07:47:34 GMT
		Reason Code Test				SIMON WARD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

 Electronically Signed By: CLAIRE CICALA-MAESTRE
 Reason: Work Order Completions

Date: 06/08/2026 08:22:57 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp26127 63948

Lucideon Sample Number: N262541 - 3

Lucideon Report Number: N262541 - 3/MFEP

Issue Number: 1

Date Logged: 18-Jun-2026

Order Number: 413205

Date Reported: 03-Jul-2026

Date(s) of Test(s): 18-Jun-2026 to 02-Jul-2026

Sterility Testing
Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:
Natalie Boot
 Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 03 July 2026 | 11:56 BST
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: E4E34F21-C962-8F72-80AE-EFF03C9B6B15		Status: Completed
Subject: N262541		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 2	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
03-Jul-26 11:53	Natalie.Boot@uk.lucideon.com	

Signer Events

Natalie Boot
natalie.boot@uk.lucideon.com
Admin Supervisor Placeholder
Lucideon Limited
Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Signature

Signed by:


Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 03 July 2026 | 11:56 BST
90369E9048134123B65D5E8FBD375BF3

Signature Adoption: Pre-selected Style
Signature ID:
90369E90-4813-4123-B65D-5E8FBD375BF3
Using IP Address: 86.188.245.148

With Signing Authentication via Docusign password
With Signing Reasons (on each tab):
I have reviewed this document

Timestamp

Sent: 03-Jul-26 | 11:55
Viewed: 03-Jul-26 | 11:56
Signed: 03-Jul-26 | 11:56

Electronic Record and Signature Disclosure:
Not Offered via Docusign

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	03-Jul-26 11:55
Certified Delivered	Security Checked	03-Jul-26 11:56
Signing Complete	Security Checked	03-Jul-26 11:56
Completed	Security Checked	03-Jul-26 11:56

Payment Events	Status	Timestamps
----------------	--------	------------

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp26127 63948

Lucideon Sample Number: N262541 - 4

Lucideon Report Number: N262541 - 4/ETEP

Issue Number: 1

Date Logged: 18-Jun-2026

Order Number: 413205

Date Reported: 24-Jun-2026

Date(s) of Test(s): 19-Jun-2026 to 19-Jun-2026

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Tracy Wheeler

Signer Name: Tracy Wheeler

Signing Reason: I have reviewed this document

Signing Time: 24 June 2026 | 10:29 BST

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK

T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: 60B440E2-BA9F-8338-8260-BD653787AA75

Status: Completed

Subject: N262541 - 2 + 4 Flexible Medical

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 2

Initials: 0

Tracy Wheeler

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Tracy.Wheeler@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Tracy Wheeler

Location: DocuSign

24-Jun-26 | 10:27

Tracy.Wheeler@uk.lucideon.com

Signer Events

Tracy Wheeler

Tracy.Wheeler@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Signature

Signed by:

Tracy Wheeler

 Signer Name: Tracy Wheeler
Signing Reason: I have reviewed this document
Signing Time: 24 June 2026 | 10:29 BST
D85AB0246E184F31821E2EC1AFA6CA90

Timestamp

Sent: 24-Jun-26 | 10:28

Viewed: 24-Jun-26 | 10:29

Signed: 24-Jun-26 | 10:29

Signature Adoption: Pre-selected Style

Signature ID:

D85AB024-6E18-4F31-821E-2EC1AFA6CA90

Using IP Address: 86.188.245.148

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	24-Jun-26 10:28
Certified Delivered	Security Checked	24-Jun-26 10:29
Signing Complete	Security Checked	24-Jun-26 10:29
Completed	Security Checked	24-Jun-26 10:29

Payment Events	Status	Timestamps
----------------	--------	------------