

CERTIFICATE OF ANALYSIS

Date issue: 07 March 2025

Product Name	CLEARKLENS IPA VH1 S 6x0.9L		
Product Code	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP25045	61592	
Production Date	14/02/2025		
Expiration Date	EXP 14/02/2027		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.876

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	61592
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N251058 - 1/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N251058 - 2/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	07/03/2025
		Justyna Staron	07/03/2025
		Quality Control Inspector	
		Olga Kirchner	03/04/2025

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

02/24/2025 9:53:07 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3711406
P.O.#	410064			Sales Order #	3745141
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:		02/22/2025 01:46:27 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP25045	61592/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.5 KGY	Pass	PSAXTON	02/22/2025 16:37:56 GMT
		Reason Code Test				PAUL SAXTON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.1 KGY	Pass	PSAXTON	02/22/2025 16:38:12 GMT
		Reason Code Test				PAUL SAXTON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: EMMA SILLS
Reason: Work Order Completion

Date: 02/24/2025 09:50:48 GMT

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

03/03/2025 10:07:56 GMT
Page 1 of 1

Customer Name: FLEXIBLE MED. GBP UK LANCASTER Processing Facility: Markham Vale Work Order # 3714083
P.O.# 410095 Sales Order # 3748221
25 - 45 kGy Gamma Irradiation Irradiation Date/Time: 02/28/2025 20:12:21 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1022	BX	101105062	Diversey Clearklens IPA 900ml	FMP25045	61592/STR002199
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP25045	61592/STR002199
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
	1025	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.4 KGY	Pass	JYATES	03/01/2025 15:58:21 GMT
		Reason Code Test				JOHN YATES	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.8 KGY	Pass	JYATES	03/01/2025 15:58:37 GMT
		Reason Code Test				JOHN YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE
Reason: Work Order Completions

Date: 03/03/2025 10:06:58 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25045 61592

Lucideon Sample Number: N251058 - 1

Lucideon Report Number: N251058 - 1/MFEP

Issue Number: 1

Date Logged: 10-Mar-2025

Order Number: 410209

Date Reported: 02-Apr-2025

Date(s) of Test(s): 18-Mar-2025 to 01-Apr-2025

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 02 April 2025 | 15:59 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: D475D53B-3624-4374-B30D-4D911593A448
 Subject: N251058
 Source Envelope:
 Document Pages: 1
 Certificate Pages: 1
 AutoNav: Enabled
 Envelopeld Stamping: Disabled
 Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Status: Completed
 Envelope Originator:
 Natalie Boot
 Queens Road
 Stoke-on-Trent, Staffordshire ST4 7LQ
 Natalie.Boot@uk.lucideon.com
 IP Address: 86.188.245.148

Record Tracking

Status: Original
 02-Apr-25 | 15:58
 Holder: Natalie Boot
 Natalie.Boot@uk.lucideon.com
 Location: DocuSign

Signer Events

Natalie Boot
 natalie.boot@uk.lucideon.com
 Admin Supervisor Placeholder
 Lucideon Limited
 Security Level: Email, Account Authentication
 (Required), Authentication

Signature

Natalie Boot
 Signature Adoption: Pre-selected Style
 Signature ID:
 90369E90-4813-4123-B65D-5E8FBD375BF3
 Using IP Address: 86.188.245.148
 With Signing Authentication via Docusign password
 With Signing Reasons (on each tab):
 I have reviewed this document

Timestamp

Sent: 02-Apr-25 | 15:58
 Viewed: 02-Apr-25 | 15:59
 Signed: 02-Apr-25 | 15:59

Electronic Record and Signature Disclosure:
 Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Event	Status	Timestamp
Envelope Sent	Hashed/Encrypted	02-Apr-25 15:58
Certified Delivered	Security Checked	02-Apr-25 15:59
Signing Complete	Security Checked	02-Apr-25 15:59
Completed	Security Checked	02-Apr-25 15:59

Payment Events

Status

Timestamps

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25045 61592

Lucideon Sample Number: N251058 - 2

Lucideon Report Number: N251058 - 2/ETEP

Issue Number: 1

Date Logged: 10-Mar-2025

Order Number: 410209

Date Reported: 21-Mar-2025

Date(s) of Test(s): 17-Mar-2025 to 17-Mar-2025

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Tracy Wheeler

Signer Name: Tracy Wheeler

Signing Reason: I have reviewed this document

Signing Time: 21 March 2025 | 14:30 GMT

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: 8717703D-C53B-4520-8666-CDA5C2DAD78E

Status: Completed

Subject: N251058 sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Tracy Wheeler

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Tracy.Wheeler@uk.lucideon.com

IP Address: 86.188.222.148

Record Tracking

Status: Original

Holder: Tracy Wheeler

Location: DocuSign

21-Mar-25 | 14:29

Tracy.Wheeler@uk.lucideon.com

Signer Events

Signature

Timestamp

Tracy Wheeler

Sent: 21-Mar-25 | 14:30

tracy.wheeler@uk.lucideon.com

Viewed: 21-Mar-25 | 14:30

Placeholder

Signed: 21-Mar-25 | 14:30

Lucideon Limited

Signature Adoption: Pre-selected Style

Security Level: Email, Account Authentication (Required), Authentication

Signature ID:

D85AB024-6E18-4F31-821E-2EC1AFA6CA90

Using IP Address: 86.188.222.148

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

21-Mar-25 | 14:30

Certified Delivered

Security Checked

21-Mar-25 | 14:30

Signing Complete

Security Checked

21-Mar-25 | 14:30

Completed

Security Checked

21-Mar-25 | 14:30

Payment Events

Status

Timestamps