

## CERTIFICATE OF ANALYSIS

Date issue: 07 April 2025


<b>Product Name</b>	CLEARKLENS IPA VH1 S 6x0.9L		
<b>Product Code</b>	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
<b>Batch Number</b>	FMP25072	61895	
<b>Production Date</b>	13/03/2025		
<b>Expiration Date</b>	EXP 13/03/2027		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

### Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	61895
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N251518-1/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N251518-2/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Angelika Glab	07/04/2025
		Justyna Staron	07/04/2025
		Quality Control Inspector	
		Olga Kirchner	30/04/2025

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

\*\*\*End of certificate of analysis\*\*\*

R55480102

03/31/2025 11:14:01 GMT  
Page 1 of 1

<b>Customer Name:</b>	<b>FLEXIBLE MED. GBP UK LANCASTER</b>	<b>Processing Facility:</b>	<b>Markham Vale</b>	<b>Work Order #</b>	<b>3731241</b>
<b>P.O.#</b>	<b>410292</b>			<b>Sales Order #</b>	<b>3768877</b>
	<b>25 - 45 kGy</b>	<b>Gamma Irradiation</b>	<b>Irradiation Date/Time:</b>		<b>03/29/2025 20:40:07 GMT</b>

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP25072	61895/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	<b>1075</b>	<b>BX</b>	<b>Total</b>			

**Quality Test Summary**

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.5 KGY	Pass	JYATES	03/30/2025 17:23:34 GMT
		Reason Code Test				JOHN YATES	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.1 KGY	Pass	JYATES	03/30/2025 17:23:51 GMT
		Reason Code Test				JOHN YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: **CLAIRE CICALA-MAESTRE**  
Reason: **Work Order Completions**

Date: **03/31/2025 11:13:11 GMT**

R55480102

03/31/2025 11:13:54 GMT  
Page 1 of 1

<b>Customer Name:</b>	<b>FLEXIBLE MED. GBP UK LANCASTER</b>	<b>Processing Facility:</b>	<b>Markham Vale</b>	<b>Work Order #</b>	<b>3732923</b>
<b>P.O.#</b>	<b>410325</b>			<b>Sales Order #</b>	<b>3770871</b>
	<b>25 - 45 kGy</b>	<b>Gamma Irradiation</b>	<b>Irradiation Date/Time:</b>		<b>03/30/2025 01:53:20 GMT</b>

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1082	BX	101105062	Diversey Clearklens IPA 900ml	FMP25072	61895/STR002199
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	18	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP25072	61895/STR002199
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
	<b>1100</b>	<b>BX</b>	<b>Total</b>			

**Quality Test Summary**

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.7 KGY	Pass	JYATES	03/30/2025 17:25:35 GMT
		Reason Code Test				JOHN YATES	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.0 KGY	Pass	CCICALA	03/31/2025 10:14:04 GMT
		Reason Code Test				CLAIRE CICALA-MAESTRE	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: **CLAIRE CICALA-MAESTRE**  
Reason: **Work Order Completions**

Date: **03/31/2025 11:12:49 GMT**

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp25072 61895

**Lucideon Sample Number:** N251518 - 2

**Lucideon Report Number:** N251518 - 2/ETEP

**Issue Number:** 1

**Date Logged:** 08-Apr-2025

**Order Number:** 410417

**Date Reported:** 14-Apr-2025

**Date(s) of Test(s):** 11-Apr-2025 to 11-Apr-2025

### Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

## Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2 EU/ml)

Tests carried out in accordance with cGMP

**End of Test Report**

Signed by:

*Tracy Wheeler*

Signer Name: Tracy Wheeler

Signing Reason: I have reviewed this document

Signing Time: 14 April 2025 | 10:26 BST

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

**Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Stone Business Park  
Brooms Road, Stone  
Staffordshire, ST15 0SH, UK  
T +44 (0)1785 331874  
query@lucideon.com  
www.lucideon.com  
Reg. England 1960455

## Certificate Of Completion

Envelope Id: 4F70F8FB-DAF3-4E8A-A75C-6EB1B6FDC9ED

Status: Completed

Subject: N251518 - 2 Flexible Medical

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Tracy Wheeler

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Tracy.Wheeler@uk.lucideon.com

IP Address: 86.188.245.148

## Record Tracking

Status: Original

Holder: Tracy Wheeler

Location: DocuSign

14-Apr-25 | 10:18

Tracy.Wheeler@uk.lucideon.com

## Signer Events

### Signature

### Timestamp

Tracy Wheeler

Sent: 14-Apr-25 | 10:26

tracy.wheeler@uk.lucideon.com

Viewed: 14-Apr-25 | 10:26

Placeholder

Signed: 14-Apr-25 | 10:26

Lucideon Limited

Signature Adoption: Pre-selected Style

Security Level: Email, Account Authentication (Required), Authentication

Signature ID:

D85AB024-6E18-4F31-821E-2EC1AFA6CA90

Using IP Address: 86.188.245.148

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

## Electronic Record and Signature Disclosure:

Not Offered via Docusign

## In Person Signer Events

### Signature

### Timestamp

## Editor Delivery Events

### Status

### Timestamp

## Agent Delivery Events

### Status

### Timestamp

## Intermediary Delivery Events

### Status

### Timestamp

## Certified Delivery Events

### Status

### Timestamp

## Carbon Copy Events

### Status

### Timestamp

## Witness Events

### Signature

### Timestamp

## Notary Events

### Signature

### Timestamp

## Envelope Summary Events

### Status

### Timestamps

Envelope Sent

Hashed/Encrypted

14-Apr-25 | 10:26

Certified Delivered

Security Checked

14-Apr-25 | 10:26

Signing Complete

Security Checked

14-Apr-25 | 10:26

Completed

Security Checked

14-Apr-25 | 10:26

## Payment Events

### Status

### Timestamps

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp25072 61895

**Lucideon Sample Number:** N251518 - 1

**Lucideon Report Number:** N251518 - 1/MFEP

**Issue Number:** 1

**Date Logged:** 08-Apr-2025

**Order Number:** 410417

**Date Reported:** 30-Apr-2025

**Date(s) of Test(s):** 15-Apr-2025 to 29-Apr-2025

### Sterility Testing

Membrane Filtration EP

## Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

Signed by:

*Tracy Wheeler*

Signer Name: Tracy Wheeler

Signing Reason: I have reviewed this document

Signing Time: 30 April 2025 | 10:20 BST

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

**Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited T +44 (0)1785 331874  
Stone Business Park query@lucideon.com  
Brooms Road, Stone www.lucideon.com  
Staffordshire, ST15 0SH, UK Reg. England 1960455

## Certificate Of Completion

Envelope Id: C566CBC0-C156-4307-8218-D846849C85BD

Status: Completed

Subject: N251518 Flexible Medical

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Tracy Wheeler

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Tracy.Wheeler@uk.lucideon.com

IP Address: 86.188.245.148

## Record Tracking

Status: Original

Holder: Tracy Wheeler

Location: DocuSign

30-Apr-25 | 10:19

Tracy.Wheeler@uk.lucideon.com

## Signer Events

### Signature

### Timestamp

Tracy Wheeler

Sent: 30-Apr-25 | 10:20

tracy.wheeler@uk.lucideon.com

Viewed: 30-Apr-25 | 10:20

Placeholder

Signed: 30-Apr-25 | 10:20

Lucideon Limited

Signature Adoption: Pre-selected Style

Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Signature ID:

D85AB024-6E18-4F31-821E-2EC1AFA6CA90

Using IP Address: 86.188.245.148

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

### Electronic Record and Signature Disclosure:

Not Offered via Docusign

## In Person Signer Events

### Signature

### Timestamp

## Editor Delivery Events

### Status

### Timestamp

## Agent Delivery Events

### Status

### Timestamp

## Intermediary Delivery Events

### Status

### Timestamp

## Certified Delivery Events

### Status

### Timestamp

## Carbon Copy Events

### Status

### Timestamp

## Witness Events

### Signature

### Timestamp

## Notary Events

### Signature

### Timestamp

## Envelope Summary Events

### Status

### Timestamps

Envelope Sent

Hashed/Encrypted

30-Apr-25 | 10:20

Certified Delivered

Security Checked

30-Apr-25 | 10:20

Signing Complete

Security Checked

30-Apr-25 | 10:20

Completed

Security Checked

30-Apr-25 | 10:20

## Payment Events

### Status

### Timestamps