



Diversey Europe Operations BV
Maarssebroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date: 18 March 2026

| | | | |
|------------------------|--------------------------------|-------|--|
| Product Name | CLEARKLENS CLEANSINALD SS VH9S | | |
| Product Code | 100848254 | | |
| Batch Number | FMP26077 | 63181 | |
| Production Date | 18/03/2026 | | |
| Expiration Date | EXP 18/09/2027 | | |

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

| Test | Test Method | Limits | | Results |
|-------------------------|-------------|------------------------------|-------|------------------------------|
| | | Lower | Upper | |
| Appearance | Visual | Clear Slightly Yellow Liquid | | Clear Slightly Yellow Liquid |
| pH (neat solution) | DM001 | 9.0 | 11.4 | 11.1 |
| Specific Gravity (20°C) | DM004 | 0.990 | 1.010 | 0.996 |

| | | |
|--|----------|--|
| On behalf of Diversey site Quality Manger | Name: | Edyta Rodrigues Angelika Pietraszko |
| | Position | Quality Control Inspector |

This document being issued electronically does not bear a signature

| | | |
|--------------|--------------|-----------------------------------|
| COA Template | Version : 04 | Date of issuing : March 11th 2019 |
|--------------|--------------|-----------------------------------|

STERIS: Certificate Of Processing

Prepared For FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-62503A

| <u>Product Code</u> | <u>Lot Number</u> | <u>Quantity</u> | <u>UOM</u> |
|---------------------------------|-------------------|-----------------|------------|
| C/SINALD SS 900ml Bottle DV4673 | 63183 | 13 | Case |
| Customer Item ID: | STR001906 | | |
| Validation Reference Number: | 4673 | | |

Processing Run Start Date 07-Mar-2026 12:29 PM

Processing Run End Date 07-Mar-2026 6:51 PM

| | | | |
|----------------------------|-------------|---------------------------|------|
| Specified Dose Range (kGy) | 25.0 - 40.0 | Calculated Min Dose (kGy) | 29.6 |
| Reference Dose Range (kGy) | 27.3 - 36.6 | Calculated Max Dose (kGy) | 35.9 |

PO Number: 412540

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

Gamma Process Run Approval authorized by STERIS

DateTime Esigned 08-Mar-2026 4:36 AM

Operating facilities are in compliance with applicable local/state and federal regulations providing services under a certified quality system which meets the following requirements (if applicable): FDA QMSR, ISO 9001, ISO 13485 current certified version, national pharmaceutical GMP (EU GMP, Commission Directive 2017/1572, Veterinary Regulation (EU) 2019/6, etc.) and is in alignment with ISO 11137 current certified version. STERIS AST certifies that these processed items received the indicated doses within the precision and accuracy of the dosimetry system used.

The product has been processed as per the requirements of the Customer Agreement and/or Customer Specification.

Processing Location

Synergy Health Sterilisation UK
Limited, a STERIS Company
Brunel Close
Drayton Fields Industrial Estate
Daventry
Northants
NN11 8RB
Phone: + 44(0) 1327 706 111

Items irradiated under WO63183 will be used in finished batch Fmp26077 63181.

Olga Kirchner

Document ID: 231708

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: Cleansinlad SS

Sample Description: Sample Code: Fmp26077 63181

Lucideon Sample Number: N261194 - 1

Lucideon Report Number: N261194 - 1/MFEP

Issue Number: 1

Date Logged: 24-Mar-2026

Order Number: 412719

Date Reported: 20-Apr-2026

Date(s) of Test(s): 26-Mar-2026 to 09-Apr-2026

Sterility Testing

Membrane Filtration EP


Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:
Natalie Boot
 Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 20 April 2026 | 10:59 BST
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

Certificate Of Completion

| | |
|--|---------------------------------------|
| Envelope Id: 48BB5EC6-AF88-409C-AB51-5C58F09B28A6 | Status: Completed |
| Subject: N261194 | |
| Source Envelope: | |
| Document Pages: 2 | Signatures: 2 |
| Certificate Pages: 2 | Initials: 0 |
| AutoNav: Enabled | Envelope Originator: |
| Envelopeld Stamping: Disabled | Natalie Boot |
| Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London | Queens Road |
| | Stoke-on-Trent, Staffordshire ST4 7LQ |
| | Natalie.Boot@uk.lucideon.com |
| | IP Address: 86.188.222.148 |


Record Tracking

| | | |
|---------------------------------------|--|--------------------|
| Status: Original 20-Apr-26 10:57 | Holder: Natalie Boot Natalie.Boot@uk.lucideon.com | Location: DocuSign |
|---------------------------------------|--|--------------------|

Signer Events

Natalie Boot
 Natalie.Boot@uk.lucideon.com
 Admin Supervisor Placeholder
 Lucideon Limited
 Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Signature

Signed by:

 Signer Name: Natalie Boot
 Signing Reason: I have reviewed this document
 Signing Time: 20 April 2026 | 10:59 BST
 90369E9048134123B65D5E8FBD375BF3

Timestamp

Sent: 20-Apr-26 | 10:58
 Viewed: 20-Apr-26 | 10:58
 Signed: 20-Apr-26 | 10:59

Signature Adoption: Pre-selected Style
 Signature ID:
 90369E90-4813-4123-B65D-5E8FBD375BF3
 Using IP Address: 86.188.222.148

With Signing Authentication via Docusign password
 With Signing Reasons (on each tab):
 I have reviewed this document
 I have reviewed this document

Electronic Record and Signature Disclosure:
 Not Offered via Docusign

| In Person Signer Events | Signature | Timestamp |
|------------------------------|------------------|-------------------|
| Editor Delivery Events | Status | Timestamp |
| Agent Delivery Events | Status | Timestamp |
| Intermediary Delivery Events | Status | Timestamp |
| Certified Delivery Events | Status | Timestamp |
| Carbon Copy Events | Status | Timestamp |
| Witness Events | Signature | Timestamp |
| Notary Events | Signature | Timestamp |
| Envelope Summary Events | Status | Timestamps |
| Envelope Sent | Hashed/Encrypted | 20-Apr-26 10:58 |
| Certified Delivered | Security Checked | 20-Apr-26 10:58 |
| Signing Complete | Security Checked | 20-Apr-26 10:59 |
| Completed | Security Checked | 20-Apr-26 10:59 |

Payment Events

Status

Timestamps