

CERTIFICATE OF ANALYSIS

Date issue: 05 August 2025

Product Name	CLEARLENs IPA VH1 S 6x0.9L		
Product Code	☒ 101105062	☐ 101105063	☐ 101105064
Batch Number	FMP25191	62519	
Production Date	10/07/2025		
Expiration Date	EXP 10/07/2027		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	62519
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N253375-2/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N253375-3/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	05/08/2025
		Angelika Pietraszko	05/08/2025
		Quality Control Inspector	
		Olga Kirchner	02/09/2025

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

07/29/2025 6:57:08 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3800309
P.O.#	411075			Sales Order #	3854126
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	07/25/2025 18:22:39 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP25191	62519/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.1 KGY	Pass	OCUPIT	07/26/2025 13:51:18 GMT
		Reason Code Test				OLIVER CUPIT	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.6 KGY	Pass	OCUPIT	07/26/2025 13:51:33 GMT
		Reason Code Test				OLIVER CUPIT	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRESICALA-MAESTRE
Reason: Work Order Completions

Date: 07/29/2025 06:56:34 GMT

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

07/29/2025 8:36:24 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3802786
P.O.#	411107			Sales Order #	3857157
25 - 45 kGy		Gamma Irradiation		Irradiation Date/Time:	07/25/2025 22:43:27 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1022	BX	101105062	Diversey Clearklens IPA 900ml	FMP25191	62519/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP25191	62519/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	1025	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.1 KGY	Pass	OCUPIT	07/26/2025 13:53:52 GMT
		Reason Code Test				OLIVER CUPIT	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.6 KGY	Pass	OCUPIT	07/26/2025 13:54:10 GMT
		Reason Code Test				OLIVER CUPIT	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE
Reason: Work Order Completions

Date: 07/29/2025 08:11:59 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25191 62519

Lucideon Sample Number: N253375 - 2

Lucideon Report Number: N253375 - 2/MFEP

Issue Number: 1

Date Logged: 06-Aug-2025

Order Number: 411190

Date Reported: 01-Sep-2025

Date(s) of Test(s): 16-Aug-2025 to 30-Aug-2025

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 01 September 2025 | 14:26 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: 0CE9C8F2-DB9C-4687-B1FB-01D46E2239FC

Status: Completed

Subject: N253375

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

01-Sep-25 | 14:25

Natalie.Boot@uk.lucideon.com

Signer Events

Signature

Timestamp

Natalie Boot

Natalie.Boot@uk.lucideon.com

Admin Supervisor Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication

Natalie Boot

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

Sent: 01-Sep-25 | 14:25

Viewed: 01-Sep-25 | 14:26

Signed: 01-Sep-25 | 14:26

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

01-Sep-25 | 14:25

Certified Delivered

Security Checked

01-Sep-25 | 14:26

Signing Complete

Security Checked

01-Sep-25 | 14:26

Completed

Security Checked

01-Sep-25 | 14:26

Payment Events

Status

Timestamps

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25191 62519

Lucideon Sample Number: N253375 - 3

Lucideon Report Number: N253375 - 3/ETEP

Issue Number: 1

Date Logged: 06-Aug-2025

Order Number: 411190

Date Reported: 12-Aug-2025

Date(s) of Test(s): 10-Aug-2025 to 10-Aug-2025

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 12 August 2025 | 10:38 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: 31EC5507-1C06-4D4C-81F0-92D5959B63BF

Status: Completed

Subject: N253375

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

12-Aug-25 | 10:36

Natalie.Boot@uk.lucideon.com

Signer Events

Signature

Timestamp

Natalie Boot

natalie.boot@uk.lucideon.com

Admin Supervisor Placeholder

Lucideon Limited

Security Level: Email, Account Authentication (Required), Authentication

Natalie Boot

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

Sent: 12-Aug-25 | 10:37

Viewed: 12-Aug-25 | 10:37

Signed: 12-Aug-25 | 10:38

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

12-Aug-25 | 10:37

Certified Delivered

Security Checked

12-Aug-25 | 10:37

Signing Complete

Security Checked

12-Aug-25 | 10:38

Completed

Security Checked

12-Aug-25 | 10:38

Payment Events

Status

Timestamps