

CERTIFICATE OF ANALYSIS

Date issue: 15 August 2025

Product Name	CLEARKLENS IPA VH1 S 6x0.9L		
Product Code	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP25206	62520	
Production Date	25/07/2025		
Expiration Date	EXP 25/07/2027		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	62520
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N253571-1/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N253571-2/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Justyna Staron	15/08/2025
		Kyle Ashton	15/08/2025
		Quality Control Inspector	
		Olga Kirchner	05/09/2025

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

08/11/2025 14:48:00 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3810440
P.O.#	411177			Sales Order #	3866880
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:	08/09/2025 13:06:23 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP25206	62520/STR002199
		Dose Map	302_0112	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.2 KGY	Pass	EMORRIS	08/09/2025 16:20:27 GMT
		Reason Code Test				EDWARD MORRIS	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.4 KGY	Pass	EMORRIS	08/09/2025 16:20:43 GMT
		Reason Code Test				EDWARD MORRIS	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: LEWIS WILLIAMSON
Reason: Work Order Completion

Date: 08/11/2025 14:44:27 GMT

R55480102

08/11/2025 14:47:25 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3811920
P.O.#	411202			Sales Order #	3868659
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:		08/09/2025 18:46:48 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1084	BX	101105062	Diversey Clearklens IPA 900ml	FMP25206 / 62520	FMP25206/STR002199
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	16	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP25206 / 62520	FMP25206/STR002199
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
	1100	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By ----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.1 KGY	Pass	OCUPIT OLIVER CUPIT	08/10/2025 04:09:12 GMT
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.4 KGY	Pass	OCUPIT OLIVER CUPIT	08/10/2025 04:09:28 GMT

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: LEWIS WILLIAMSON
Reason: Work Order Completion

Date: 08/11/2025 14:42:52 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25206 62520

Lucideon Sample Number: N253571 - 1

Lucideon Report Number: N253571 - 1/MFEP

Issue Number: 1

Date Logged: 18-Aug-2025

Order Number: 411271

Date Reported: 05-Sep-2025

Date(s) of Test(s): 19-Aug-2025 to 02-Sep-2025

Sterility Testing
Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 05 September 2025 | 11:46 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited T +44 (0)1785 331874
Stone Business Park query@lucideon.com
Brooms Road, Stone www.lucideon.com
Staffordshire, ST15 0SH, UK Reg. England 1960455

Certificate Of Completion

Envelope Id: 1E6C525A-B16E-4CFB-A583-62D2AC57D188
 Subject: N253571
 Source Envelope:
 Document Pages: 1
 Certificate Pages: 1
 AutoNav: Enabled
 Envelopeld Stamping: Disabled
 Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Status: Completed
 Envelope Originator:
 Natalie Boot
 Queens Road
 Stoke-on-Trent, Staffordshire ST4 7LQ
 Natalie.Boot@uk.lucideon.com
 IP Address: 86.188.222.148

Record Tracking

Status: Original
 05-Sep-25 | 11:44
 Holder: Natalie Boot
 Natalie.Boot@uk.lucideon.com
 Location: DocuSign

Signer Events

Natalie Boot
 Natalie.Boot@uk.lucideon.com
 Admin Supervisor Placeholder
 Lucideon Limited
 Security Level: Email, Account Authentication
 (Required), Authentication

Signature

Natalie Boot
 Signature Adoption: Pre-selected Style
 Signature ID:
 90369E90-4813-4123-B65D-5E8FBD375BF3
 Using IP Address: 86.188.245.148

Timestamp

Sent: 05-Sep-25 | 11:45
 Viewed: 05-Sep-25 | 11:45
 Signed: 05-Sep-25 | 11:46

With Signing Authentication via Docusign password
 With Signing Reasons (on each tab):
 I have reviewed this document

Electronic Record and Signature Disclosure:
 Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Event	Status	Timestamp
Envelope Sent	Hashed/Encrypted	05-Sep-25 11:45
Certified Delivered	Security Checked	05-Sep-25 11:45
Signing Complete	Security Checked	05-Sep-25 11:46
Completed	Security Checked	05-Sep-25 11:46

Payment Events

Status

Timestamps

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25206 62520

Lucideon Sample Number: N253571 - 2

Lucideon Report Number: N253571 - 2/ETEP

Issue Number: 1

Date Logged: 18-Aug-2025

Order Number: 411271

Date Reported: 27-Aug-2025

Date(s) of Test(s): 27-Aug-2025 to 27-Aug-2025

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 27 August 2025 | 16:39 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

Certificate Of Completion

Envelope Id: 4270849A-97CD-403F-BE7B-989056B34457
 Subject: N253571
 Source Envelope:
 Document Pages: 1
 Certificate Pages: 1
 AutoNav: Enabled
 Envelopeld Stamping: Disabled
 Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Status: Completed
 Envelope Originator:
 Natalie Boot
 Queens Road
 Stoke-on-Trent, Staffordshire ST4 7LQ
 Natalie.Boot@uk.lucideon.com
 IP Address: 86.188.245.148

Record Tracking

Status: Original
 27-Aug-25 | 16:38
 Holder: Natalie Boot
 Natalie.Boot@uk.lucideon.com
 Location: DocuSign

Signer Events

Natalie Boot
 natalie.boot@uk.lucideon.com
 Admin Supervisor Placeholder
 Lucideon Limited
 Security Level: Email, Account Authentication
 (Required), Authentication, Login with SSO

Signature

Natalie Boot
 Signature Adoption: Pre-selected Style
 Signature ID:
 90369E90-4813-4123-B65D-5E8FBD375BF3
 Using IP Address: 86.188.245.148
 With Signing Authentication via Docusign password
 With Signing Reasons (on each tab):
 I have reviewed this document

Timestamp

Sent: 27-Aug-25 | 16:39
 Viewed: 27-Aug-25 | 16:39
 Signed: 27-Aug-25 | 16:39

Electronic Record and Signature Disclosure:
 Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Event	Status	Timestamp
Envelope Sent	Hashed/Encrypted	27-Aug-25 16:39
Certified Delivered	Security Checked	27-Aug-25 16:39
Signing Complete	Security Checked	27-Aug-25 16:39
Completed	Security Checked	27-Aug-25 16:39

Payment Events

Status

Timestamps