

## CERTIFICATE OF ANALYSIS

Date issue: 06 October 2025

<b>Product Name</b>	CLEARKLENS IPA VH1 S 6x0.9L		
<b>Product Code</b>	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
<b>Batch Number</b>	FMP25252	62822	
<b>Production Date</b>	09/09/2025		
<b>Expiration Date</b>	EXP 09/09/2027		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872      0.883	g/cm3	0.875

### Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	62822
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N254322-1/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N254322-2/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Edyta Rodrigues	06/10/2025
		Angelika Pietraszko	06/10/2025
		Quality Control Inspector	
		Olga Kirchner	31/10/2025

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

\*\*\*End of certificate of analysis\*\*\*

R55480102

09/29/2025 10:44:48 GMT  
Page 1 of 1

<b>Customer Name:</b>	<b>FLEXIBLE MED. GBP UK LANCASTER</b>	<b>Processing Facility:</b>	<b>Markham Vale</b>	<b>Work Order #</b>	<b>3837485</b>
<b>P.O.#</b>	<b>411473</b>			<b>Sales Order #</b>	<b>3900038</b>
	<b>25 - 45 kGy</b>	<b>Gamma Irradiation</b>	<b>Irradiation Date/Time:</b>	<b>09/27/2025 00:24:04 GMT</b>	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP25252	62822/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	<b>1075</b>	<b>BX</b>	<b>Total</b>			

**Quality Test Summary**

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.5 KGY	Pass	PHAMPSON	09/27/2025 14:49:14 GMT
		Reason Code Test				PIERS HAMPSON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.5 KGY	Pass	PHAMPSON	09/27/2025 14:49:29 GMT
		Reason Code Test				PIERS HAMPSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE  
Reason: Work Order Completions

Date: 09/29/2025 10:42:03 GMT

R55480102

09/29/2025 10:44:42 GMT  
Page 1 of 1

<b>Customer Name:</b>	FLEXIBLE MED. GBP UK LANCASTER	<b>Processing Facility:</b>	Markham Vale	<b>Work Order #</b>	3837486
<b>P.O.#</b>	411473			<b>Sales Order #</b>	3900039
	<b>25 - 45 kGy</b>	<b>Gamma Irradiation</b>	<b>Irradiation Date/Time:</b>	09/27/2025 06:24:28 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1078	BX	101105062	Diversey Clearklens IPA 900ml	FMP25252	62822/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	22	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP25252	62822/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
	<b>1100</b>	<b>BX</b>	<b>Total</b>			

### Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.2 KGY	Pass	LDAWSON	09/28/2025 03:04:39 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.7 KGY	Pass	LDAWSON	09/28/2025 03:05:04 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE  
Reason: Work Order Completions

Date: 09/29/2025 10:41:25 GMT

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp25252 62822

**Lucideon Sample Number:** N254322 - 1

**Lucideon Report Number:** N254322 - 1/MFEP

**Issue Number:** 1

**Date Logged:** 07-Oct-2025

**Order Number:** 411564

**Date Reported:** 30-Oct-2025

**Date(s) of Test(s):** 11-Oct-2025 to 25-Oct-2025

**Sterility Testing**  
Membrane Filtration EP


### Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

### End of Test Report

Signed by:  
*Natalie Boot*  
 Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 30 October 2025 | 11:56 GMT  
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

## Certificate Of Completion

Envelope Id: ADC840DB-6D15-4742-8F9F-10F4F568F96D  
 Subject: N254322  
 Source Envelope:  
 Document Pages: 1  
 Certificate Pages: 1  
 AutoNav: Enabled  
 Envelopeld Stamping: Disabled  
 Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Status: Completed  
 Envelope Originator:  
 Natalie Boot  
 Queens Road  
 Stoke-on-Trent, Staffordshire ST4 7LQ  
 Natalie.Boot@uk.lucideon.com  
 IP Address: 86.188.222.148

## Record Tracking

Status: Original  
 30-Oct-25 | 11:54  
 Holder: Natalie Boot  
 Natalie.Boot@uk.lucideon.com  
 Location: DocuSign

## Signer Events

Natalie Boot  
 Natalie.Boot@uk.lucideon.com  
 Admin Supervisor Placeholder  
 Lucideon Limited  
 Security Level: Email, Account Authentication  
 (Required), Authentication, Login with SSO

## Signature

*Natalie Boot*  
 Signature Adoption: Pre-selected Style  
 Signature ID:  
 90369E90-4813-4123-B65D-5E8FBD375BF3  
 Using IP Address: 86.188.222.148

## Timestamp

Sent: 30-Oct-25 | 11:54  
 Viewed: 30-Oct-25 | 11:55  
 Signed: 30-Oct-25 | 11:56

With Signing Authentication via Docusign password  
 With Signing Reasons (on each tab):  
 I have reviewed this document

**Electronic Record and Signature Disclosure:**  
 Not Offered via Docusign

## In Person Signer Events

## Signature

## Timestamp

## Editor Delivery Events

## Status

## Timestamp

## Agent Delivery Events

## Status

## Timestamp

## Intermediary Delivery Events

## Status

## Timestamp

## Certified Delivery Events

## Status

## Timestamp

## Carbon Copy Events

## Status

## Timestamp

## Witness Events

## Signature

## Timestamp

## Notary Events

## Signature

## Timestamp

## Envelope Summary Events

## Status

## Timestamps

Event	Status	Timestamp
Envelope Sent	Hashed/Encrypted	30-Oct-25   11:54
Certified Delivered	Security Checked	30-Oct-25   11:55
Signing Complete	Security Checked	30-Oct-25   11:56
Completed	Security Checked	30-Oct-25   11:56

## Payment Events

## Status

## Timestamps

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp25252 62822

**Lucideon Sample Number:** N254322 - 2

**Lucideon Report Number:** N254322 - 2/ETEP

**Issue Number:** 1

**Date Logged:** 07-Oct-2025

**Order Number:** 411564

**Date Reported:** 16-Oct-2025

**Date(s) of Test(s):** 12-Oct-2025 to 12-Oct-2025

### Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

## Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

**End of Test Report**

Signed by:

*Natalie Boot*



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 16 October 2025 | 15:19 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

## Certificate Of Completion

Envelope Id: D1BC62A2-D771-4209-89A9-600D93E6CAB9

Status: Completed

Subject: N254322

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

## Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

16-Oct-25 | 15:17

Natalie.Boot@uk.lucideon.com

## Signer Events

### Signature

### Timestamp

Natalie Boot

Natalie.Boot@uk.lucideon.com

Admin Supervisor Placeholder

Lucideon Limited

Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

Sent: 16-Oct-25 | 15:18

Viewed: 16-Oct-25 | 15:18

Signed: 16-Oct-25 | 15:19

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

## Electronic Record and Signature Disclosure:

Not Offered via Docusign

## In Person Signer Events

### Signature

### Timestamp

## Editor Delivery Events

### Status

### Timestamp

## Agent Delivery Events

### Status

### Timestamp

## Intermediary Delivery Events

### Status

### Timestamp

## Certified Delivery Events

### Status

### Timestamp

## Carbon Copy Events

### Status

### Timestamp

## Witness Events

### Signature

### Timestamp

## Notary Events

### Signature

### Timestamp

## Envelope Summary Events

### Status

### Timestamps

Envelope Sent

Hashed/Encrypted

16-Oct-25 | 15:18

Certified Delivered

Security Checked

16-Oct-25 | 15:18

Signing Complete

Security Checked

16-Oct-25 | 15:19

Completed

Security Checked

16-Oct-25 | 15:19

## Payment Events

### Status

### Timestamps