

CERTIFICATE OF ANALYSIS

Date issue: 20 January 2026


Product Name	CLEARKLENS IPA VH1 S 6x0.9L		
Product Code	<input type="checkbox"/> 101105062	<input checked="" type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP25356	63420	
Production Date	22/12/2025		
Expiration Date	EXP 22/12/2027		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	63420
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N26267 - 1/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N26267 - 2/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Justyna Staron	20/01/2026
		Natalia Traichel	20/01/2026
		Quality Control Inspector	
		Olga Kirchner	12/02/2026

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

01/12/2026 10:54:02 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3898036
P.O.#	412216			Sales Order #	3975825
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:		01/10/2026 04:05:36 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	712	BX	101105063	Clearklens IPA 900 mls	FMP25356	63420/STR002201
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	13	BX	101105063_SAMPLE	Clearklens IPA 900 mls	FMP25356	63420/STR002201
			Dose Map 302_0112	RF: 13.5A3, AF Min: 0.717		
	725	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	28.7 KGY	Pass	SWARD	01/10/2026 19:51:07 GMT
		Reason Code Test				SIMON WARD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.8 KGY	Pass	SWARD	01/10/2026 19:51:25 GMT
		Reason Code Test				SIMON WARD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE
Reason: Work Order Completions

Date: 01/12/2026 10:50:06 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25356 63420

Lucideon Sample Number: N26267 - 1

Lucideon Report Number: N26267 - 1/MFEP

Issue Number: 1

Date Logged: 21-Jan-2026

Order Number: 412327

Date Reported: 12-Feb-2026

Date(s) of Test(s): 22-Jan-2026 to 05-Feb-2026

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 12 February 2026 | 11:52 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited T +44 (0)1785 331874
Stone Business Park query@lucideon.com
Brooms Road, Stone www.lucideon.com
Staffordshire, ST15 0SH, UK Reg. England 1960455

Certificate Of Completion

Envelope Id: 61A78DBD-42F9-4E87-B052-2AF9A7C1010A

Status: Completed

Subject: N26267

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

12-Feb-26 | 11:51

Natalie.Boot@uk.lucideon.com

Signer Events

Signature

Timestamp

Natalie Boot

Natalie.Boot@uk.lucideon.com

Admin Supervisor Placeholder

Lucideon Limited

Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Sent: 12-Feb-26 | 11:51

Viewed: 12-Feb-26 | 11:51

Signed: 12-Feb-26 | 11:52

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

12-Feb-26 | 11:51

Certified Delivered

Security Checked

12-Feb-26 | 11:51

Signing Complete

Security Checked

12-Feb-26 | 11:52

Completed

Security Checked

12-Feb-26 | 11:52

Payment Events

Status

Timestamps

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25356 63420

Lucideon Sample Number: N26267 - 2

Lucideon Report Number: N26267 - 2/ETEP

Issue Number: 1

Date Logged: 21-Jan-2026

Order Number: 412327

Date Reported: 30-Jan-2026

Date(s) of Test(s): 23-Jan-2026 to 23-Jan-2026

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 30 January 2026 | 12:39 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

Certificate Of Completion

Envelope Id: EBB676A5-5A42-4803-BC12-BA169DAC9DF4

Status: Completed

Subject: N26267

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

30-Jan-26 | 12:36

Natalie.Boot@uk.lucideon.com

Signer Events

Signature

Timestamp

Natalie Boot

Natalie.Boot@uk.lucideon.com

Admin Supervisor Placeholder

Lucideon Limited

Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Sent: 30-Jan-26 | 12:37

Viewed: 30-Jan-26 | 12:38

Signed: 30-Jan-26 | 12:39

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

With Signing Authentication via Docusign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

30-Jan-26 | 12:37

Certified Delivered

Security Checked

30-Jan-26 | 12:38

Signing Complete

Security Checked

30-Jan-26 | 12:39

Completed

Security Checked

30-Jan-26 | 12:39

Payment Events

Status

Timestamps