

CERTIFICATE OF ANALYSIS

Date issue: 18 May 2026

Product Name	CLEARLENs IPA VH1 S 6x0.9L		
Product Code	☒ 101105062	☐ 101105063	☐ 101105064
Batch Number	FMP26	64065	
Production Date	21/04/2026		
Expiration Date	EXP 21/04/2028		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	Yes	64065
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	Yes	N262110 - 1/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	Yes	N262110 - 2/ETEP

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Justyna Staron	18/05/2026
		Angelika Pietraszko	18/05/2026
		Quality Control Inspector	
		Olga Kirchner	10/06/2026

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
 TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

05/05/2026 7:49:04 GMT
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3966755
P.O.#	412907			Sales Order #	4061390
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:	04/30/2026 22:00:13 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP2664065	64065/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.4 KGY	Pass	PHAMPSON	05/02/2026 05:02:02 GMT
		Reason Code Test				PIERS HAMPSON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.1 KGY	Pass	PHAMPSON	05/02/2026 05:02:22 GMT
		Reason Code Test				PIERS HAMPSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE
 Reason: Work Order Completions

Date: 05/05/2026 07:48:22 GMT

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

05/11/2026 10:37:40 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3969242
P.O.#	412924			Sales Order #	4064764
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	05/07/2026 23:16:41 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1063	BX	101105062	Diversey Clearklens IPA 900ml	FMP2664065	64065/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	12	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP2664065	64065/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.7 KGY	Pass	PSAXTON	05/08/2026 11:08:42 GMT
		Reason Code Test				PAUL SAXTON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.7 KGY	Pass	ESILLS	05/11/2026 09:27:39 GMT
		Reason Code Test				EMMA SILLS	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: EMMA SILLS
Reason: Work Order Completion

Date: 05/11/2026 10:34:22 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp2664065

Lucideon Sample Number: N262110 - 1

Lucideon Report Number: N262110 - 1/MFEP

Issue Number: 1

Date Logged: 19-May-2026

Order Number: 413045

Date Reported: 10-Jun-2026

Date(s) of Test(s): 26-May-2026 to 09-Jun-2026

Sterility Testing
Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:
Natalie Boot
 Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 10 June 2026 | 12:15 BST
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: A67E304F-F6A4-8A9C-81AC-9FDA11E384B8
Subject: N262110
Source Envelope:
Document Pages: 1
Certificate Pages: 2
AutoNav: Enabled
Envelopeld Stamping: Disabled
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Status: Completed

Envelope Originator:
Natalie Boot
Queens Road
Stoke-on-Trent, Staffordshire ST4 7LQ
Natalie.Boot@uk.lucideon.com
IP Address: 86.188.245.148

Record Tracking

Status: Original
10-Jun-26 | 12:13
Holder: Natalie Boot
Natalie.Boot@uk.lucideon.com

Location: DocuSign

Signer Events

Natalie Boot
Natalie.Boot@uk.lucideon.com
Admin Supervisor Placeholder
Lucideon Limited
Security Level: Email, Account Authentication
(Required), Authentication, Login with SSO

Signature

Signed by:
Natalie Boot
 Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 10 June 2026 | 12:15 BST
90369E9048134123B65D5E8FBD375BF3

Timestamp

Sent: 10-Jun-26 | 12:14
Viewed: 10-Jun-26 | 12:15
Signed: 10-Jun-26 | 12:15

Signature Adoption: Pre-selected Style
Signature ID:
90369E90-4813-4123-B65D-5E8FBD375BF3
Using IP Address: 86.188.245.148

With Signing Authentication via Docusign password
With Signing Reasons (on each tab):
I have reviewed this document

Electronic Record and Signature Disclosure:
Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent	Hashed/Encrypted	10-Jun-26 12:14
Certified Delivered	Security Checked	10-Jun-26 12:15
Signing Complete	Security Checked	10-Jun-26 12:15
Completed	Security Checked	10-Jun-26 12:15

Payment Events	Status	Timestamps
----------------	--------	------------

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp2664065

Lucideon Sample Number: N262110 - 2

Lucideon Report Number: N262110 - 2/ETEP

Issue Number: 1

Date Logged: 19-May-2026

Order Number: 413045

Date Reported: 27-May-2026

Date(s) of Test(s): 25-May-2026 to 25-May-2026

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:
Natalie Boot
 Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 27 May 2026 | 15:38 BST
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: 50EB704C-E116-830D-8287-EAF0C86009AE		Status: Completed
Subject: N262110		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 2	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
27-May-26 15:37	Natalie.Boot@uk.lucideon.com	

Signer Events

Natalie Boot
Natalie.Boot@uk.lucideon.com
Admin Supervisor Placeholder
Lucideon Limited
Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Signature

Signed by:

Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 27 May 2026 | 15:38 BST
90369E9048134123B65D5E8FBD375BF3

Signature Adoption: Pre-selected Style
Signature ID:
90369E90-4813-4123-B65D-5E8FBD375BF3
Using IP Address: 86.188.245.148

Timestamp

Sent: 27-May-26 | 15:38
Viewed: 27-May-26 | 15:38
Signed: 27-May-26 | 15:39

With Signing Authentication via Docusign password
With Signing Reasons (on each tab):
I have reviewed this document

Electronic Record and Signature Disclosure:
Not Offered via Docusign

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	27-May-26 15:38
Certified Delivered	Security Checked	27-May-26 15:38
Signing Complete	Security Checked	27-May-26 15:39
Completed	Security Checked	27-May-26 15:39

Payment Events	Status	Timestamps
----------------	--------	------------