



**Contact address:**

JohnsonDiversey Europe BV  
Maarssebroeksedijk 2  
3542 DN Utrecht  
The Netherlands  
Tel. +31 (0)30 247 6427

## CERTIFICATE OF ANALYSIS

Date: 9/4/10

<b>Product Name</b>	CLEARKLENS DE VH29
<b>Product Code</b>	6069643
<b>Batch Number</b>	W0 27555
<b>Production Date</b>	03/2010
<b>Expiry Date</b>	03/2012

This is to certify that the above batch of product has been produced conforming to the manufacturing dossier from JohnsonDiversey in which the formula and processing instructions are defined and has been tested with the following Quality Control specification for the product.

Test	Test Method	Limits	Results
Appearance	Visual	Clear Liquid	clear liquid
Specific Gravity (20°C)	JDM004	0.880 - 0.888	0.883

*John Jackson* JOHN JACKSON 12/04/10

Signature / name

On behalf of Manufacturing Location

*C Pascoe* CAROLINE PASCOE 12/4/10



FLE001

Page 1

Flexible Medical Packaging Ltd  
Unit 8  
White Cross Industrial Estate  
Hightown  
Lancaster



**Isotron Limited**

Roydsdale Way · Euroway Trading Estate  
Bradford · West Yorkshire  
BD4 6SE · United Kingdom  
Telephone: +44 (0)1274 686011  
Facsimile: +44 (0)1274 686061  
Email: assistance@isotron.com  
Website: www.isotron.com

LA1 4XS

Cust. Ref: P015270  
Date Rec'd 1/04/10  
Date: 7/04/10

ITEM CODE ISOTRON BATCH	ITEM SPECIFICATION	QTY	ADDITIONAL DETAILS
B2FLE0010121 B210040066	JD DE 900ML BOTTLES 25-45kGy	589	B/No.W027555 - CUSTOMER B/No.1599  ACTUAL DOSE....37.6 - 39.6....kGy
B2FLE0010999 B210040066	SAMPLES	7	          CUSTOMERS BATCH/CODE No.s AS ORDER No.P015270 DATED 31/3/10
Despatch Text:  11PLTS			
Total		596	Last Page 1 of 1

All in accordance with current  
technical agreement

This is to certify that the above items have been irradiated as  
specified above

Authorising Signature:

For and on behalf of ISOTRON LIMITED



## CERTIFICATE OF ANALYSIS

Mr J Jackson  
Flexible Medical Packaging Limited  
Unit 8, Hightown  
White Cross Industrial Estate  
Lancaster LA1 4XS

**Date Received** : 13-Apr-10  
**Date Tested** : 19-Apr-10  
**Date Completed** : 19-Apr-10  
**Purchase Order No.** : 15306

**Test Article** : Clearklens DE Block 1  
**Sample Code** : Works Order 27555  
**Batch Reference** : 1599  
**Laboratory Reference** : LR-00950263 **Article Quantity** : 1x900mL  
**Test Required** : LAL Test - Kinetic QCL. Inhibition/Enhancement Assay. Ph Eur and USP.

Test		Method	Result
Bacterial Endotoxin by LAL, Kinetic QCL Test	*	MM110	<0.2500 EU/mL
Dilution	*	MM110/01	1/50
Spiked Recoveries	*	MM110/02	Valid 80%
Endotoxin Spike Level	*	MM110/09	0.5 EU/mL
Product Standard Data Sheet	*	MQ002/01	FM01

Test carried out according to current Pharmacopoeias.

**GLP**

Compliant  
Laboratory

*S. L. Wood*

Date *23 April 2010*

Mrs S.L. Wood, BSc (Hons), CBiol, MSB  
Laboratory Manager - Pharmaceutical Microbiology

**Sample Booking Number:** CN\00149099

Certificate of Analysis - OSMM

Page 1 of 1

Flexible Medical Packaging Limited

*This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited*



## CERTIFICATE OF ANALYSIS

Mr J Jackson  
Flexible Medical Packaging Limited  
Unit 8, Hightown  
White Cross Industrial Estate  
Lancaster LA1 4XS

**Date Received** : 13-Apr-10  
**Date Tested** : 15-Apr-10  
**Date Completed** : 29-Apr-10  
**Purchase Order No.** : 15306

**Test Article** : Clearklens DE Block 1

**Sample Code** : Works Order 27555

**Batch Reference** : 1599

**Laboratory Reference** : LR-00950262

**Article Quantity** : 20x900mL

**Test Required** : Sterility Method I: Membrane Filtration by Steritest. Ph Eur and USP.

Test		Method	Result
Sterility Test by Membrane Filtration (Steritest) Method	*	MM107	Pass
Growth in Tryptone Soya Broth at 22°C after 14 days	*	MM107/01	0/1
Growth in Fluid Thioglycollate at 32°C after 14 days	*	MM107/02	0/1
Product Standard Data Sheet	*	MQ002/01	FM03

Day Book Ref: 800027

Volume Tested: 20 x 50mL

Test carried out according to current Pharmacopoeias.

**GLP**

Compliant  
Laboratory

*Suz Wood*

Date 05 May 2010

Mrs S.L. Wood, BSc (Hons), CBiol, MSB  
Laboratory Manager - Pharmaceutical Microbiology

**Sample Booking Number:** CN00149099

Certificate of Analysis - OSMM

Page 1 of 1

Flexible Medical Packaging Limited

*This report shall not be reproduced except in full, without the written approval of Wickham Laboratories Limited*