



Diversey Europe Operations BV
Maarssenbroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date 15 June 2023

Product Name	CLEARKLENS DE VH29		
Product Code	101101081		
Batch Number	FMP23136	57274	
Production Date	16/05/2023		
Expiration Date	EXP 16/05/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Colourless Liquid		Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.880	0.888	0.883

On behalf of Diversey site Quality Manger	Name:	Justyna Staron Edyta Rodrigues
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA Template	Version : 02	Date of issuing : November 24th 2017
--------------	--------------	--------------------------------------

R55480102

05/30/2023 15:12:09 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3346515
P.O.#	405317			Sales Order #	3311311
	25 - 45 kGy	Gamma Irradiation		Irradiation Date/Time:	05/27/2023 01:12:36 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	875	BX	101101081	Diversey Clearklens DE 900ml	FMP23136	57274/STR002096
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	875	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.4 KGY	Pass	DYATES	05/27/2023 16:16:29 GMT
		Reason Code Test				DANIEL YATES	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.6 KGY	Pass	DYATES	05/27/2023 16:16:46 GMT
		Reason Code Test				DANIEL YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 05/30/2023 15:10:29 GMT

R55480102

06/12/2023 8:41:37 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3350907
P.O.#	405393			Sales Order #	3316297
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	06/10/2023 01:30:28 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	331	BX	100862174	Diversey Clearklens DE 900 mL	FMP23144	57367/STR001910
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	541	BX	101101081	Diversey Clearklens DE 900ml	FMP23136	57274/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	3	BX	101101081_SAMPLE	Diversey Clearklens DE 900ml	FMP23136	57274/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	875	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.6 KGY	Pass	JATKINSON	06/10/2023 15:46:41 GMT
		Reason Code Test				JOE ATKINSON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.5 KGY	Pass	JATKINSON	06/10/2023 15:47:03 GMT
		Reason Code Test				JOE ATKINSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRES CICALA
Reason: Work Order Completions

Date: 06/12/2023 08:38:28 GMT

PHARMACEUTICAL ANALYSIS REPORT



Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens DE

Sample Description: Sample Code: Fmp23136 57274

Lucideon Sample Number: UK232252-15393

Lucideon Report Number: UK232252-15393/MFEP **Issue Number:** 1

Date Logged: 16-Jun-2023 **Order Number:** 405542

Date Reported: 04-Jul-2023 **Date(s) of Test(s):** 20-Jun-2023 to 04-Jul-2023

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 04 July 2023 | 16:47 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 617BEFE394E04D5CBF7EED2D6BBC41EB		Status: Completed
Subject: Sign		
Source Envelope:		
Document Pages: 3	Signatures: 3	Envelope Originator:
Certificate Pages: 1	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Enveloped Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
04-Jul-23 16:44	Natalie.Boot@uk.lucideon.com	

Signer Events	Signature	Timestamp
Natalie Boot		Sent: 04-Jul-23 16:47
natalie.boot@uk.lucideon.com		Viewed: 04-Jul-23 16:47
PlaceHolder		Signed: 04-Jul-23 16:48
Lucideon Limited		
Security Level: Email, Account Authentication (Required), Authentication	Signature Adoption: Pre-selected Style	
	Signature ID:	
	90369E90-4813-4123-B65D-5E8FBD375BF3	
	Using IP Address: 86.188.245.148	
	With Signing Authentication via DocuSign password	
	With Signing Reasons (on each tab):	
	I have reviewed this document	
	I have reviewed this document	
	I have reviewed this document	

Electronic Record and Signature Disclosure:
Not Offered via DocuSign

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	04-Jul-23 16:47
Certified Delivered	Security Checked	04-Jul-23 16:47
Signing Complete	Security Checked	04-Jul-23 16:48
Completed	Security Checked	04-Jul-23 16:48
Payment Events	Status	Timestamps

PHARMACEUTICAL ANALYSIS REPORT



Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens DE

Sample Description: Sample Code: Fmp23136 57274

Lucideon Sample Number: UK232252-15394

Lucideon Report Number: UK232252-15394/ETEP **Issue Number:** 1

Date Logged: 16-Jun-2023 **Order Number:** 405542

Date Reported: 26-Jun-2023 **Date(s) of Test(s):** 19-Jun-2023 to 22-Jun-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 26 June 2023 | 15:52 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: B2E5F0EEE5814DC7B81CFAA542A1C5BC

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

EnvelopeId Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

26-Jun-23 | 15:49

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

Sent: 26-Jun-23 | 15:51

natalie.boot@uk.lucideon.com

Natalie Boot

Viewed: 26-Jun-23 | 15:52

PlaceHolder

Signed: 26-Jun-23 | 15:52

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

26-Jun-23 | 15:51

Certified Delivered

Security Checked

26-Jun-23 | 15:52

Signing Complete

Security Checked

26-Jun-23 | 15:52

Completed

Security Checked

26-Jun-23 | 15:52

Payment Events**Status****Timestamps**