



Diversey Europe Operations BV  
Maarssenbroeksedijk 2  
3542 DN Utrecht  
The Netherlands

Tel. +31 (0)30 247 6427  
www.Diversey.com

## CERTIFICATE OF ANALYSIS

Date: 19 June 2023

Product Name	CLEARKLENS CLEANSINALD SC VH9		
Product Code	7516429		
Batch Number	FMP23170	58244	
Production Date	19/06/2023		
Expiration Date	EXP 19/06/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
pH (neat solution)	DM001	12.0	13.0	12.7
Specific Gravity (20°C)	DM004	1.040	1.060	1.050
Cationic Content	DM020	14.25	15.75	14.81

On behalf of Diversey site Quality Manger	Name:	Justyna Staron Edyta Rodrigues
	Position	Quality Control Inspector

*This document being issued electronically does not bear a signature*

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)  
Gamma Process Run ID 2173-37045A

Product Code	Lot Number	Quantity	UOM
C/SINALD BOTTLES/CAPS/BAGS DV4894	56876	31	Case
Validation Reference Number: 4894			
Processing Run Start Date: 05-May-2023 3:16 PM			
Processing Run End Date: 05-May-2023 9:47 PM			
Specified Dose Range (kGy):	25.0 - 40.0	Calculated Min Dose (kGy):	29.5
Reference Dose Range (kGy):	27.4 - 36.5	Calculated Max Dose (kGy):	38.5

PO Number: 405191

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

**Gamma Process Run Approval authorized by STERIS**  
Date/Time E-Signed: 05-May-2023 11:14 PM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

Processing Location

Synergy Health Sterilisation UK  
Limited, a STERIS Company  
Brunel Close  
Drayton Fields Industrial Estate  
Daventry  
Northants  
NN11 8RB  
Phone: + 44(0) 1327 706 111

Items irradiated under WO56876 will be used in finished batch Fmp23170 58244.  
Olga Kirchner

# PHARMACEUTICAL ANALYSIS REPORT



## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** Cleansinald SC

**Sample Description:** Sample Code: Fmp23170 58244

**Lucideon Sample Number:** UK232387-16448

**Lucideon Report Number:** UK232387-16448/MFEP **Issue Number:** 1

**Date Logged:** 28-Jun-2023 **Order Number:** 405644

**Date Reported:** 25-Jul-2023 **Date(s) of Test(s):** 06-Jul-2023 to 24-Jul-2023

**Sterility Testing**  
Membrane Filtration EP

## Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Tracy Wheeler*



Signer Name: Tracy Wheeler  
Signing Reason: I have reviewed this document  
Signing Time: 25 July 2023 | 11:47 BST  
D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

**Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ

T +44 (0)1782 764428  
enquiries@lucideon.com  
www.lucideon.com

**Certificate Of Completion**

Envelope Id: BA5084C8770A41CCB85186A2BFF8AB81

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 1

Initials: 0

Tracy Wheeler

AutoNav: Enabled

Queens Road

Envelope Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Tracy.Wheeler@uk.lucideon.com

IP Address: 86.188.245.148

**Record Tracking**

Status: Original

Holder: Tracy Wheeler

Location: DocuSign

25-Jul-23 | 11:44

Tracy.Wheeler@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Tracy Wheeler

tracy.wheeler@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in*Tracy Wheeler*

Sent: 25-Jul-23 | 11:46

Viewed: 25-Jul-23 | 11:47

Signed: 25-Jul-23 | 11:47

Signature Adoption: Pre-selected Style

Signature ID:

D85AB024-6E18-4F31-821E-2EC1AFA6CA90

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

25-Jul-23 | 11:46

Certified Delivered

Security Checked

25-Jul-23 | 11:47

Signing Complete

Security Checked

25-Jul-23 | 11:47

Completed

Security Checked

25-Jul-23 | 11:47

**Payment Events****Status****Timestamps**