

CERTIFICATE OF ANALYSIS

Date issue: 20 July 2023

Product Name	CLEARLENs IPA VH1		
Product Code	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP23182	57579	
Production Date	01/07/2023		
Expiration Date	EXP 01/07/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	57579
Sterility Certificate	Sterility by Mebrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII	No Growth	YES	UK232821-20990
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK232821-20991

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	20/07/2023
		Angelika Pietraszko	20/07/2023
		Quality Control Inspector	
		Olga Kirchner	09/08/2023

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

 07/10/2023 12:15:33 GMT
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3373342
P.O.#	405687			Sales Order #	3343165
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	07/09/2023 06:54:14 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	80	BX	101105062	Diversey Clearklens IPA 900ml	FMP23178	57443/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23178	57443/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	417	BX	101105062	Diversey Clearklens IPA 900ml	FMP23182	57579/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	500	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.1 KGY	Pass	JATKINSON	07/09/2023 16:13:21 GMT
		Reason Code Test				JOE ATKINSON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.4 KGY	Pass	JATKINSON	07/09/2023 16:13:43 GMT
		Reason Code Test				JOE ATKINSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 07/10/2023 12:13:59 GMT

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
 TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

07/11/2023 12:38:35 GMT
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3374391
P.O.#	405724			Sales Order #	3344066
25 - 45 kGy		Gamma Irradiation		Irradiation Date/Time:	07/09/2023 11:25:30 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	950	BX	101105062	Diversey Clearklens IPA 900ml	FMP23182	57579/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	950	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.3 KGY	Pass	MFORD	07/10/2023 01:39:52 GMT
		Reason Code Test				MARTYN FORD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.9 KGY	Pass	MFORD	07/10/2023 01:40:17 GMT
		Reason Code Test				MARTYN FORD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 07/11/2023 12:35:17 GMT

R55480102

07/18/2023 7:29:47 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3377367
P.O.#	405762			Sales Order #	3347152
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:	07/15/2023 00:46:32 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	66	BX	101105062	Diversey Clearklens IPA 900ml	FMP23182	57579/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23182	57579/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	906	BX	101105062	Diversey Clearklens IPA 900ml	FMP23186	57580/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	975	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.4 KGY	Pass	MFORD	07/18/2023 07:05:20 GMT
		Reason Code Test				MARTYN FORD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.1 KGY	Pass	MFORD	07/18/2023 07:05:47 GMT
		Reason Code Test				MARTYN FORD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 07/18/2023 07:29:23 GMT

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mr Luka Davies

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23182 57579

Lucideon Sample Number: UK232821-20990

Lucideon Report Number: UK232821-20990/MFEP **Issue Number:** 1

Date Logged: 21-Jul-2023 **Order Number:** 405865

Date Reported: 09-Aug-2023 **Date(s) of Test(s):** 25-Jul-2023 to 08-Aug-2023

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot

Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 09 August 2023 | 11:57 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 49146EC5F91A41EE91848D3D8F8179ED

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

09-Aug-23 | 11:56

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in*Natalie Boot*

Sent: 09-Aug-23 | 11:56

Viewed: 09-Aug-23 | 11:57

Signed: 09-Aug-23 | 11:57

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

09-Aug-23 | 11:56

Certified Delivered

Security Checked

09-Aug-23 | 11:57

Signing Complete

Security Checked

09-Aug-23 | 11:57

Completed

Security Checked

09-Aug-23 | 11:57

Payment Events**Status****Timestamps**

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mr Luka Davies

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23182 57579

Lucideon Sample Number: UK232821-20991

Lucideon Report Number: UK232821-20991/ETEP **Issue Number:** 1

Date Logged: 21-Jul-2023 **Order Number:** 405865

Date Reported: 28-Jul-2023 **Date(s) of Test(s):** 26-Jul-2023 to 26-Jul-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pas (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 28 July 2023 | 14:11 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: FB9A632FDEAE41EBA2B4019440E0EA38

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

28-Jul-23 | 14:09

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in*Natalie Boot*

Sent: 28-Jul-23 | 14:10

Viewed: 28-Jul-23 | 14:10

Signed: 28-Jul-23 | 14:11

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

28-Jul-23 | 14:10

Certified Delivered

Security Checked

28-Jul-23 | 14:10

Signing Complete

Security Checked

28-Jul-23 | 14:11

Completed

Security Checked

28-Jul-23 | 14:11

Payment Events**Status****Timestamps**